

Applied Technology/Technology

Equipment List, Specifications and Tendering Guidance

Prepared by The Planning & Building Unit, Department of Education Tullamore, Co. Offaly. R35 Y2N5 www.education.ie

Tendering Guidance

Important Notes to School's /ETB's seeking the items from this list:

- Utilise existing procurement arrangement with suppliers/service providers where available
- 2. Search <u>www.ogp.gov.ie</u> to check if there is a suitable, fit for purpose framework/contract in place for all or some of the items required.
- 3. Choose to seek a request for quotation (RFQ), below the value of 25k, or a request for tender (RFT), above the value of 25k, based on best value for money using both qualitative and cost criteria. All procurement over the value of €25,000 must be advertised and published on www.etenders.gov.ie.
- 4. Seek quotations based on the items that can be competitively quoted from multiple suppliers based on the estimated level of spend following the procurement guidelines. For more advice on the procurement guidelines contact the Schools Procurement Unit (www.spu.ie) or Education Training Board with whom you are associated (list of ETBs on www.etbi.ie).
- 5. Suppliers may not be able to provide the full range of goods listed. In this case they should be requested to quote only for sections where they can supply all items in that section (excluding the equipment where a framework is in place such as TECH/B/201).
- 6. The specifications outlined in this document have been reviewed to ensure products of the highest quality are supplied. Substandard equipment should not be proposed or accepted under any circumstances and suppliers should be asked to replace these to the same standard set out or higher. Schools are advised to check this as part of the assessment before finalising the overall scores. In addition to pricing each item, suppliers must also specify the warranty being offered for each item.
- 7. All quotations must be excluding VAT with the VAT highlighted separately.
- 8. Contact the School Procurement Unit or your ETB for further specific guidance.

TECH / A / 1 September 2022

Applied Technology and Technology Equipment List A

Section 1: Drawing and Design

	Section 1. Drawing and Design		
Code Quantity	Description and Specification		Cost (€) & Warranty Offered
TECH/A/101 1		t, for (magnetic) chalkboard, to include l, (ii) 60°/30° set square (500mm), (iii) for (425mm) and (v) heavy duty rule	
	Manufacturer:	Catalogue No.:	
TECH/A/102(A) 24 right	T-squares: A2 size, tape blade, best of edges to blade; blade screwed and d	quality hardwood, with maple or acrylic owelled to stock or equal.	
handed, 6 left handed	Manufacturer:	Catalogue No.:	
	(OR	
TECH/A/102(B)	Stainless steel T-square with fixed lig	ht cast aluminium head.	
24 R/H, 6 L/H	Manufacturer:	Catalogue No.:	
TECH/A/103 25	ply, white high pressure laminate abo	2 size, solid core/particle board/multi- ove and below, pvc edges and square oust mechanism to allow use at 0° and	
	Manufacturer:	Catalogue No.:	
TECH/A/104 25	Graphics/DCG wooden box set, to composed 60°/30° & 45° Set Squares (transparable with bevelled edge and open centre. adjustable compass, H and 2H pencion Clips.	ent heavy duty, non-brittle plastic, Sizes: 200mm, 2mm thick), quickset	
	Manufacturer:	Catalogue No.:	
TECH/A/105	1000mm Steel rule.		
1	Manufacturer:	Catalogue No.:	
TECH/A/106	Scaled rule, acrylic, 300mm, suitable	for graphics/drawing.	
24	Manufacturer:	Catalogue No.:	
TECH/A/107	300mm Steel rule.		
25	Manufacturer:	Catalogue No.:	
TECH/A/108	Circle template, acrylic type, c.2mm	to 50mm diameter circles.	
1	Manufacturer:	Catalogue No.:	
TECH/A/109	Flexi-curve, suitable for technical gra	phics work.	
1	Manufacturer:	Catalogue No.:	
TECH/A/110	French curves, set of three, moulded	plastic with ellipse form.	
1	Manufacturer:	Catalogue No.:	
TECH/A/111	Erasing shield, stainless steel type.		
1	Manufacturer:	Catalogue No.:	
TECH/A/112	50m Surveyor's fibre measuring tape		
1	Manufacturer:	Catalogue No.:	
TECH/A/113	Cutting mat, A3 size, plastic, self-rep	airing.	
25	Manufacturer:	Catalogue No.:	

TECH / A / 1			September 2022
TECH/A/114	Show-me boards, A3 size, gridded, v	vith drywipe pens and eraser.	
25	Manufacturer:	Catalogue No.:	
TECH/A/115	Scissors 250mm stainless steel.		
2	Manufacturer:	Catalogue No.:	
TECH/A/116	Scissors 140mm, 25 no. right hande	d and 5 no. left handed.	
24	Manufacturer:	Catalogue No.:	
TECH/A/117	Spray mount 400ml.		
2	Manufacturer:	Catalogue No.:	
TECH/A/118 6 of each	Ready mixed water-soluble paint 500ml (red, green, brown, black, blue, yellow, white).		
	Manufacturer:	Catalogue No.:	
TECH/A/119	White foam board 3mm thick, 70x10	00cm.	
10	Manufacturer:	Catalogue No.:	
TECH/A/120	5m Pocket measuring tape with 19m	nm blade.	
1	Manufacturer:	Catalogue No.:	
TECH/A/121	Glue guns and 100 glue sticks.		
12	Manufacturer:	Catalogue No.:	
TECH/A/122	Electronic Label maker, complete wi	th tapes.	
1	Manufacturer:	Catalogue No.:	

TECH / A / 2 September 2022

Section 2: Hand Tools Code **Description and Specification** Cost (€) & Warrantv Quantity Offered TECH/A/201 Beech bench hooks. 24 Manufacturer: Catalogue No.: TECH/A/202 300mm Beech-handled tenon saw, brass back, min. 10 year warranty. 24 Manufacturer: Catalogue No.: TECH/A/203 200mm Beech-handled dovetail saw, brass back, min. 10 year warranty. Manufacturer: Catalogue No.: TECH/A/204 Bench plane, smooth, 50mm cutter, adjustable for depth of cut/alignment, 12 min. 10 year warranty. Catalogue No.: Manufacturer: TECH/A/205 Carpenters mallet, c.115mm, min. 10 year warranty. 12 Manufacturer: Catalogue No.: TECH/A/206 Warrington hammer, weight: c.340 g, min. 10 year warranty. 24 Catalogue No.: Manufacturer: TECH/A/207 Eclipse coping saw with 150mm blade 12 Catalogue No.: Manufacturer: TECH/A/208 Rosewood marking gauge - steel pin, thumbscrews, min. 10 year warranty. 12 Catalogue No.: Manufacturer: TECH/A/209 Rosewood woodwork try-square, blade length: 150mm min., min. 10 year 12 warranty. Manufacturer: Catalogue No.: TECH/A/210 Rosewood sliding bevel (woodwork), wooden handle, hardened steel blade, locking mechanism. 6 Manufacturer: Catalogue No.: TECH/A/211 Measuring tape, c.3m. Manufacturer: Catalogue No.: TECH/A/212 Chisels (bevel edge): 6mm, 10mm, 18mm, 25mm 12 of each size min. 10 year warranty. Manufacturer: Catalogue No.: **TECH/A/213** Splitproof Chisels (mortise): 12 of each size 6mm, 10mm, 18mm, 25mm min. 10 year warranty. Manufacturer: Catalogue No.: TECH/A/214 Bit brace, c.250mm. 1 Manufacturer: Catalogue No.: TECH/A/215 Set of auger bits, c.6mm - c.25mm to suit TECH/A/114 1 Manufacturer: Catalogue No.: TECH/A/216 Set of flat bits, c.6mm - c.25mm to suit TECH/A/114 1 Manufacturer: Catalogue No.: TECH/A/217 Claw hammer, tempered/hardened head, wood/metal handle, 500g. 6 Manufacturer: Catalogue No.: TECH/A/218 Carpenter's pincers, c.180mm. 1 Manufacturer: Catalogue No.:

TECH / A / 2 September 2022 TECH/A/219 Mallet, tinsmans type, c.45mm diameter head. 1 Catalogue No.: Manufacturer: TECH/A/220 Mitre/corner clamp. Catalogue No.: Manufacturer: TECH/A/221 Hand Mitre Saw. 1 Manufacturer: Catalogue No.: TECH/A/222 Set of c.5 hole-saws, complete with arbor, sizes from c.20mm to c.60mm diameter. 1 Manufacturer: Catalogue No.: TECH/A/223 Files, smooth, 250mm: 12 of each type Half round Hand Round Square Three square Catalogue No.: Manufacturer: TECH/A/224 File handle for 250mm file, plastic or wooden. 65 Manufacturer: Catalogue No.: TECH/A/225 Set of c.6 needle files. 6 Catalogue No.: Manufacturer: TECH/A/226 "Abra" (or equal) file, 250mm, medium cut. 24 Catalogue No.: Manufacturer: TECH/A/227 Engineer's inside spring caliper, c.150mm. Manufacturer: Catalogue No.: TECH/A/228 Engineer's outside spring caliper, c.150mm. Catalogue No.: Manufacturer: **TECH/A/229** Precision Vernier caliper, capacity c.150mm, digital reading. 2 Catalogue No.: Manufacturer: TECH/A/230 Engineer's spring divider, c.150mm. 12 Catalogue No.: Manufacturer: TECH/A/231 Engineer's centre punch, c.100mm. 12 Manufacturer: Catalogue No.: TECH/A/232 Engineer's fully integrated scriber, double ended, c.175mm. 24 Manufacturer: Catalogue No.: Engineer's steel square, blade c.120mm, min. 10 year warranty. TECH/A/233 24 Manufacturer: Catalogue No.: TECH/A/234 Stainless steel rule, pearl chrome finish, 300mm long, graduated inmm. 24 Catalogue No.: Manufacturer: TECH/A/235 Universal bevel, (metalwork), c.150mm. 4 Catalogue No.: Manufacturer: Set of stocks (10), dies (10), taps and wrenches, ISO thread form, range TECH/A/236 from 3mm to 12mm. Circular die pattern. Set complete in strong case. 2 Manufacturer: Catalogue No.: TECH/A/237 File card (wooden base type), c.100mm x c.50mm. 6 Manufacturer: Catalogue No.: **TECH/A/238** Tinmans folding bars, c.250mm 2 Manufacturer: Catalogue No.:

TECH / A / 2 September 2022 Pop riveting kit, complete with pliers and assorted rivets, industrial grade. TECH/A/239

1	Manufacturer:	Catalogue No.:
TECH/A/240	Engineers ball-pein hammer, weight:	500 g (1 lb), min. 10 year warranty.
12	Manufacturer:	Catalogue No.:
TECH/A/241	Tinmans snips, straight, c.200mm.	
24	Manufacturer:	Catalogue No.:
TECH/A/242	Tinmans snips, curved, c.200mm.	
24	Manufacturer:	Catalogue No.:
TECH/A/243	Eclipse hacksaw frame, 300mm, adju	stable or fixed type.
24	Manufacturer:	Catalogue No.:
TECH/A/244	Hacksaw blade, 300mm, 24 T.P.I.	
100	Manufacturer:	Catalogue No.:
TECH/A/245 12	Junior hacksaw frame and blades. Str spring steel blade with precision blad	- · · · ·
12	Manufacturer:	Catalogue No.:
TECH/A/246	Junior hacksaw blade pack (pack of 1	
12	Manufacturer:	Catalogue No.:
TECH/A/247	Glass cutter, hand held, single or mul	
1	Manufacturer:	Catalogue No.:
TECH/A/248	Hand held engraver, variable speed, 2	-
1	Manufacturer:	Catalogue No.:
TECH/A/249	Set of letter stamps, 5mm, set of 27,	
2	Manufacturer:	Catalogue No.:
TECH/A/250	Set of 12 combination spanners, e.g.,	
2	Manufacturer:	Catalogue No.:
TECH/A/251	Set of drills, HSS, parallel shank, c.1.0	
2	Manufacturer:	Catalogue No.:
TECH/A/252	Set of counter sink drills, HSS, 6mm,	
1	Manufacturer:	Catalogue No.:
TECH/A/253	Leather sandbag, c.250mm diameter.	
2	Manufacturer:	Catalogue No.:
TECH/A/254	Boxwood bossing mallet, c.50mm dia	
2	Manufacturer:	Catalogue No.:
TECH/A/255	Vice grips, 250mm, lever release.	
4	Manufacturer:	Catalogue No.:
TECH/A/256	Sheet metal vice grip, 250mm, lever i	
2	Manufacturer:	Catalogue No.:
TECH/A/257	Combination pliers, c.200mm.	
6	Manufacturer:	Catalogue No.:
TECH/A/258	Long-nose pliers, c.200mm.	
6	Manufacturer:	Catalogue No.:
TECH/A/259	Set of assorted flat and Philips head s	
6	Manufacturer:	Catalogue No.:
TECH/A/260	Nail punch, c.150mm	Saturdade Hon
24	Manufacturer:	Catalogue No.:
	i manufacturer.	Catalogue 140

TECH / A / 2			September 2022
TECH/A/261	Set of Allen keys, e.g., 3mm - 10mm.		
2	Manufacturer:	Catalogue No.:	
TECH/A/262	Combination oilstone, c.200mm, coar	se and fine faces.	
1	Manufacturer:	Catalogue No.:	
TECH/A/263	Paper guillotine, capable of cutting up	o to A3 size paper.	
1	Manufacturer:	Catalogue No.:	
TECH/A/264	G-clamps: 150mm 250mm 300mm		
6 of each size	Manufacturer:	Catalogue No.:	
TECH/A/265	900mm Sash Cramps.		
12	Manufacturer:	Catalogue No.:	
TECH/A/266 1	Lathe Pen turning kit: Kit to include: Dust free Collet, Colt HSS-M2 Parabolic fluted 7 x 150mm drill bit, Universal pen mandrel, Locknut kit, Pen Blank trimming tool, minimum 5 high quality pen kits, 7 & 10mm spacers to suit most sizes of pen kit.		
	Manufacturer:	Catalogue No.:	

TECH / A / 3 September 2022

	September 2022		
	Section 3: Power Tools		
Code	Description a	nd Specification	Cost (€) &
Quantity	Note: Portable Tools to be sup	plied as cordless appliances only,	Warranty Offered
	Where possible, the same brand t	to be supplied for all tools to ensure	Offered
	batteries are i	nterchangeable	
TECH/A/301 1	18 volt Cordless Router, portable, wi capacity: 10,000 – 30,000/min, Plun Plunge 0-35mm, Collet capacity: 3/8 charger and two batteries.	ge Capacity: Trimmer 0-40mm,	
	Minimum Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/302	Set of 12 Assorted Router Bits to sui	t TECH/A/301.	
1	Manufacturer:	Catalogue No.:	
TECH/A/303	c. 400mm X 400mm Non-Slip indust	rial quality Router Mat.	
1	Manufacturer:	Catalogue No.:	
TECH/A/304 1	18 volt Portable Jigsaw with toolcase Capacity: 45°.	e, with charger and 2 batteries Bevel	
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/306 2	Portable min. 18 volt Orbital Sander with outlet compatible with Dust Extractor. To include charger and two batteries.		
	Two year warranty.	Tall v	
TE 01.1 (4. (0.07	Manufacturer:	Catalogue No.:	
TECH/A/307 1	Portable min. 18 volt Palm Sander wi Extractor. To include charger and two	•	
	Minimum Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/308	Portable 12/24/110 V, 50 Hz Pyrogr	aph Machine.	
6	Minimum Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/309 4	Rechargeable, minimum 18 V, Portable Cordless Drill with case, to include charger and two batteries.		
	Minimum Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/311 1	Airbrush with fine, medium and heavy-duty head assemblies and long air hose for attachment to compressed air canister or air compressor.		
	Manufacturer:	Catalogue No.:	
TECH/A/312	Portable oil-less diaphragm type air o	compressor for use with airbrush.	
1	Minimum Two year warranty.		
	Manufacturer:	Catalogue No.:	

TECH / A / 4 September 2022

Section 4: Electronics and Control Technology

Note: This section can be quoted for separately.

Code Quantity	Description and	d Specification	Cost (€) & Warranty Offered
TECH/A/401 12	Digital multi-meter, auto-ranging frequency measurement, capacitance measurement and transistor test. Voltage a.c and d.c- c.5 ranges each from 200 mV x 100 mV to 600 V x 1 V Current a.c and d.c - c.4 ranges each from 2 mA x 1 mA to 10 x 10 mA Resistance - c.6 ranges from 200 R x 0.01 R to 20 M x 10 K Capacitance - c.5 ranges from 2000 pF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 2 kHz x 1 Hz to 20 MHz x 100 kHz Diode test Continuity text Transistor test NPN and PNP		
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/402 25	Handheld, programmable micro-computer Kit. Individually-programmable LEDs, 2 programmable buttons, Physical connection pins, Light and temperature sensors, Motion sensors (accelerometer and compass), Wireless Communication, via Radio and Bluetooth, USB interface. It should have the capability to be coded from any web browser in Blocks, Javascript, Python or Scratch. Kit to include USB connector, battery cage and protector case.		
	Manufacturer:	Catalogue No.:	
TECH/A/403	All-in-one robotics board (for micro-co	omputer specified in TECH/A/402).	
30	Manufacturer:	Catalogue No.:	
TECH/A/404 30	Straight single row PCB pin headers, 2.54mm, 36-way (for micro-computer specified in TECH/A/402).		
	Manufacturer:	Catalogue No.:	
TECH/A/405 30	Edge connector breakout board (for m TECH/A/402).	icro-computer specified in	
	Manufacturer:	Catalogue No.:	
TECH/A/406	Jumper Wires 20cm Male / Female.		
90	Manufacturer:	Catalogue No.:	
TECH/A/407	Alligator Clip with Pigtail (4 Pack).		
90	Manufacturer:	Catalogue No.:	
TECH/A/408	Right Angle Geared Hobby Motor.		
60	Manufacturer:	Catalogue No.:	
TECH/A/409	Linear Actuator kit.		
60	Manufacturer:	Catalogue No.:	
TECH/A/410 1	Sensors for air and weather, colour and light, and sound (for microcomputer specified in TECH/A/402).		
	Manufacturer:	Catalogue No.:	
TECH/A/411	Mini 180 Degree Resin Gear Servo.		
60	Manufacturer:	Catalogue No.:	
TECH/A/412	Plastic Component Box - 15 Grid.		
30	Manufacturer:	Catalogue No.:	

TECH / A / 4 September 2022 TECH/A/413 Smart Home Kit, to include temperature sensor, sound sensor, crash sensor, servo, motor (for micro-computer specified in TECH/A/403). This 1 kit should be capable of projects such as voice-activated light, smart fan, auto window and water level detector. Manufacturer: Catalogue No.: Pack/kit of accessories suitable for electronics work (i.e., push-fit directly TECH/A/414 10 of each to miniature motor shafts): Pack of c.10 plastic wheels, various diameter sizes (e.g., 30mm - 70mm) Pack of c.10 plastic propellers, c.100mm diameter, 2 or 3 blades. Pack of c.10 2mm steel shafting Pack of c.10 3mm steel shafting Pack of c.10 miniature pulleys, various diameter sizes (e.g., 8mm to 25mm) Pack of c.10 plastic gears, various diameter sizes (e.g., 15mm to 40mm) Pack of c.10 miniature worm gears. Manufacturer: Catalogue No.: Electric soldering iron, extra fine tip for electronics, complete with stand **TECH/A/415** and sponge, min...30 W, 220-240 V 24 Two year warranty. Manufacturer: Catalogue No.: TECH/A/416 Temperature controlled electric soldering iron/station, complete with stand 6 and cleaning sponge, c.50 W, 220-240 V. Two year warranty. Manufacturer: Catalogue No.: TECH/A/417 Miniature electronics tool kit, to contain tools such as pliers, snips, wire 30 strippers and screwdrivers, in appropriate case. Manufacturer: Catalogue No.: TECH/A/418 Helping-hands for soldering work. 4 Manufacturer: Catalogue No.: TECH/A/419 LT variable voltage power supply unit, overload protection. Performance (approx.): DC - 0-25 V (no load) and 24V (8 A load) AC - 0-25 V (no load) and 24V (8 A load) Two year warranty. Manufacturer: Catalogue No.: **TECH/A/420** De-soldering pump, portable type. 3 Catalogue No.: Manufacturer: Single core wire, diameter, c.1.2mm x c.100 m length, to include: TECH/A/421 Black reels, Red reels, Blue reels 2 of each colour Manufacturer: Catalogue No.: TECH/A/422 Stranded wire, diameter, c.1.4mm x c.100 m length, to include: 2 of each Black reels, Red reels, Blue reels colour Manufacturer: Catalogue No.: TECH/A/423 Extra flexible stranded wire, diameter, c.2.8mm x c.100 m length, to 50 include: Red, and Black. Manufacturer: Catalogue No.: TECH/A/424 Ribbon cable reel of wire, e.g., 20-way rainbow, c.25 m length. 1 Manufacturer: Catalogue No.: TECH/A/425 Cable Mounting Sockets 20 way. 24 Manufacturer: Catalogue No.:

TECH / A / 4 September 2022 TECH/A/426 Pack/kit of 4mm plugs and sockets, to include: 4mm Plug Red 100 100 4mm Socket Red 4mm Plug Black 100 100 4mm Socket Black Manufacturer: Catalogue No.: TECH/A/427 Pack/kit of battery holders and clips, to include: 30 2XAA 30 4XAA 30 2XC 30 4XC 30 2XD 30 4XD 300 PP3 battery snaps Manufacturer: Catalogue No.: TECH/A/428 Pack/kit of micro-miniature electrolytic capacitors, to include, 5 Variety capacitor kit suitable for simple electronic circuit building 200 100uF 16v 200 220uF 16v 200 470uF 16v 200 1000uF 16v 2200uF 200 Manufacturer: Catalogue No.: **TECH/A/429** Resistors, to include: 200 of each 270R 1K type 2K2 4K7 10K 22K 33K 100K 150K 1M Manufacturer: Catalogue No.: TECH/A/430 Potentiometers, to include: 50 of each type 1K LIN 2200K LIN 10K LIN 47K LIN **100K LIN** 1M LIN 100K LIN dual control (stereo) Catalogue No.: Manufacturer: TECH/A/431 Arm robot kit (for micro-computer specified in TECH/A/402). 1 Catalogue No.: Manufacturer: **TECH/A/432** Preset potentiometers (suitable for simple electronic circuit building), to 150 of each include: 10K type 22K 100K Manufacturer: Catalogue No.:

TECH / A / 4 September 2022 TECH/A/433 Miniature motors, to include: 80 of each type High torque miniature motor, 3-6 V High power, 12 V motor Solar motor Catalogue No.: Manufacturer: TECH/A/434 Motor mount (e.g., self-adhesive) to suit miniature motors detailed in 200 TECH/A/433. Catalogue No.: Manufacturer: **TECH/A/435** Miniature multi-ratio gearbox and motor (clearbox motor), assembled OR in kit form, motor to operate on c.1.5-4.5 V power supply. 10 Manufacturer: Catalogue No.: TECH/A/436 Miniature worm drive gearbox with motor, assembled or in kit form, motor to operate on c.1.5-4.5 V power supply. 10 Catalogue No.: Manufacturer: TECH/A/437 MES lamp (bulb), 6 V/60 mA, commercial grade. 1000 Catalogue No.: Manufacturer: TECH/A/438 MES lamp (bulb) holder, solder tags at base. 1000 Catalogue No.: Manufacturer: TECH/A/439 MES lamp (bulb) holder, spring loaded contact, fixing centres: c.23mm. 1000 Manufacturer: Catalogue No.: TECH/A/440 Pack/kit of assorted colours MES lamp holders, to include: 100 of each Red colour Green Orange Manufacturer: Catalogue No.: TECH/A/441 5mm LED's and clips, to include: 200 of each Red item Yellow Green **Flashing** 5mm bezel panel clips (one piece). Silicone rectifier diode IN4001 1A, 50V max. Silicone rectifier diode IN5401 3A, 100V max Seven segment LED display, common cathode, c.13mm Catalogue No.: Manufacturer: TECH/A/442 Light dependent resistor (ORP 12 specification) 60 Manufacturer: Catalogue No.: TECH/A/443 Pack/kit of assorted sizes of strip-board, to include: 100 25mm x 64mm 10 119mm x 455mm Manufacturer: Catalogue No.: TECH/A/444 Pack/kit of breadboard, to include: 50 400 Tie points Manufacturer: Catalogue No.: TECH/A/445 Pack/kit of miniature relays, to include: 50 of each type DPDT 5A SPDT 5A SPDT 10A **DPDT 8A** Manufacturer: Catalogue No.:

TECH / A / 4 September 2022 TECH/A/446 Pack/kit of NTC thermistors, to include: 50 5 k ohm 50 2700 ohm Manufacturer: Catalogue No.: TECH/A/447 Pack/kit of general purpose transistors, to include: 100 of each ZTX321 NPN specification type BC108 NPN specification BFY51 NPN specification BC109 NPN specification TIP121 Darlington NPN specification Catalogue No.: Manufacturer: TECH/A/448 Pack/kit of linear integrated circuits (ICs), to include: 50 555 Timer 25 741 Op Amp 25 3140 Op Amp 15 556 15 7400 15 7490 Manufacturer: Catalogue No.: TECH/A/449 Pack/kit of miniature speakers, for example: 25 8 ohm 25 64 ohm 100 Buzzer, 6 V (leads) 25 Miniature piezo buzzer Catalogue No.: Manufacturer: TECH/A/450 Pack/kit of miniature switches, to include: 75 of each type Miniature toggle SPST Miniature toggle SPDT Miniature rocker Standard slide DPDTCO Push to make Push to break Push latching Tilt switch (mercury) Reed switch with magnets Microswitch button Microswitch lever Microminiature microswitch lever Manufacturer: Catalogue No.: **TECH/A/451** Pack/kit of miniature thyristors, to include: 50 TIC106D specification Manufacturer: Catalogue No.: **TECH/A/452** Control knobs, to fit c.6mm shaft. 100 Manufacturer: Catalogue No.: TECH/A/453 Low-fume / colophony free solder, 500 g / 22 swg (0.71mm). 10 Catalogue No.: Manufacturer: **TECH/A/454** Multiple drawer storage cabinets, plastic drawer type, wall mountable, c.60 drawer unit size. 6 Manufacturer: Catalogue No.: TECH/A/455 Multi-compartment boxes (e.g., plastic type), suitable for storing of 30 electronic circuits / components. Manufacturer: Catalogue No.:

TECH / A / 4		S	eptember 2022
TECH/A/456 2	PCB Drill and stand set complete with power supply output of drill 12 V to 18 V. Chuck capacity 0.6mm to 3.2mm. Input of power supply unit 220 V to 240 V		
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/457 1	Set of Control technology teaching ki manufacturing processes (e.g. convey examples of control technology used sliding doors). Kit to be accompanied suitable for use with a class group of	or, sorter, pick and place) and/or in society (e.g. Car park barrier, lifts, with associated guides/texts, and	
	Manufacturer:	Catalogue No.:	
TECH/A/458 1	Robotic control technology, rover-style robot for demonstration purposes. Capable of object tracing and speech recognition.		
	Manufacturer:	Catalogue No.:	
TECH/A/459 1	Electro-pneumatic teaching kit and suitable air compressor. Capable of allowing for the demonstration of a range of circuits/systems. Kit to be accompanied with associated guides/texts and suitable for use with a class group of students.		
	Manufacturer:	Catalogue No.:	
TECH/A/460 1	Pneumatic system construction and simulation software to include library of standard pneumatic symbols; educational site license for min. 25 users.		
	Manufacturer:	Catalogue No.:	

TECH / A / 5 September 2022

	Section 5: Structure and Mechanisms			
Code Quantity	Description ar	nd Specification	Cost (€) & Warranty Offered	
TECH/A/501 1	automobiles, etc. A number to include	chanisms, e.g., bridges, towers, model e appropriate power supply units.		
TECHIA /FO2	Manufacturer:	Catalogue No.:		
TECH/A/502 3 of each pack/ set	Pack/set of plastic gear wheels suitable the brass hub-type, to include: Pack c.10 12 teeth Pack c.10 18 teeth Pack c.10 30 teeth Pack c.10 58 teeth Pack c.10 bevel gear Pack c.10 worm gear	ole for model building, preferably of		
	Manufacturer:	Catalogue No.:		
TECH/A/503 3 of each pack/ set	Pack/set of pulley's suitable for mode type, to include: Pack of c.10 pulley's c.20mm diamete Pack of c.10 pulley's c.40mm diamete Pack of c.10 pulley's c.60mm diamete	er		
	Manufacturer:	Catalogue No.:		
TECH/A/504 10 of each pack	Pack of shafting/shaft converters to suit TECH/A/501 and TECH/A/502, to include: Pack of shaft converters (e.g., 6mm to 4mm and/or 4mm to 2mm) Pack of shafts (e.g., 6mm and/or 4mm shafts)			
	Manufacturer:	Catalogue No.:		
TECH/A/505 15 of each pack/set	Pack/set of plastic/wooden wheels so construction work, to include: Pack plastic c.10 wheels c.60mm diar Pack plastic c.10 wheels c.50mm diar Pack wooden c.10 wheels c.25mm di Pack wooden c.10 wheels c.50mm di	meter meter ameter		
	Manufacturer:	Catalogue No.:		
TECH/A/506 1 box of each	M3 screws and nuts: Box M3 screws 6mm, pack of 100 Box M3 screws 12mm, pack of 100 Box M3 screws 20mm, pack of 100 Box M3 screws 25mm, pack of 100 Box M3 nuts, pack of 100 Box M3 washers, pack of 500			
	Manufacturer:	Catalogue No.:		
TECH/A/507 1 box of each	M4 screws and nuts: Box M4 screws 6mm, pack of 100 Box M4 screws 12mm, pack of 100 Box M4 screws 25mm, pack of 100 Box M4 nuts, pack of 100 Box M4 washers, pack of 500 Manufacturer:	Catalogue No.:		
TECH/A/508	Box of art straws.	Catalogue 110		
2	Manufacturer:	Catalogue No.:		

TECH / A / 6 September 2022

Section 6: Safety Equipment			
Code Quantity	Description a	nd Specification	Cost (€) & Warranty Offered
TECH/A/601 1	equipped with minimum 24 person f Product available from PPE and First	Aid Framework.	
	Manufacturer:	Catalogue No.:	
TECH/A/602 1	Set of minimum 6 / Laminated wall-r Product available from PPE and First		
	Manufacturer:	Catalogue No.:	
TECH/A/603 30	Non-mist Safety Goggles, full ventila kite marked to BS 2092. Product available from PPE and First	tion, suitable for use over spectacles, Aid Framework.	
	Manufacturer:	Catalogue No.:	
TECH/A/604 2	1	nders. To be supplied with two sets of frm to EN352/BS5108. Attenuation to Aid Framework.	
	Manufacturer:	Catalogue No.:	
TECH/A/605 12	Clearways face shields with adjustable headbands. Full facial and eye protection while operating machine tools etc. Kite marked to BS2092. Product available from PPE and First Aid Framework.		
	Manufacturer:	Catalogue No.:	
TECH/A/606 30	Student aprons suitable for worksho Product available from PPE and First		
	Manufacturer:	Catalogue No.:	
TECH/A/607	Soap/hand cream dispenser.		
1	Manufacturer:	Catalogue No.:	
TECH/A/608 2	Roll of Hazzard Warning Floor Tape, Product available from PPE and First		
	Manufacturer:	Catalogue No.:	
TECH/A/609 12	Lightweight safety spectacles with fu side shields, fitted with replaceable le Product available from PPE and First	ens to BS 2092. Aid Framework.	
	Manufacturer:	Catalogue No.:	
TECH/A/610 6	Pair Gloves for materials handlings, abrasion and cut resistant; oil, grease and dirt repellent. Product available from PPE and First Aid Framework.		
	Manufacturer:	Catalogue No.:	
TECH/A/611 6	Fume displacement unit, replaceable Hz.	filter type, bench mounted, 230 V, 50	
	Manufacturer:	Catalogue No.:	
TECH/A/612 6	Plastic bin, minimum 80 litres. Product available from PPE and First	Aid Framework.	
	Manufacturer:	Catalogue No.:	
TECH/A/613 1	Roll of hand paper, 200mm wide, on Product available from PPE and First		
	Manufacturer:	Catalogue No.:	

TECH / B / 1			September 2022
TECH/A/614 24	Banister type c.300mm X 50mm flat-backed Bench Brush. Resin set pure bristle. Product available from PPE and First Aid Framework.		
	Manufacturer:	Catalogue No.:	
TECH/A/615 4	600mm Sweeping Brush with Handle. Product available from PPE and First Aid Framework.		
	Manufacturer:	Catalogue No.:	
TECH/A/616 1	Industrial wet/dry vacuum; Robust electrical vacuum cleaner for wet and dry use for cleaning up dust, debris or water, minimum 1400-watt motor, minimum 20 litre capacity, Dust class category M rated to EN60335-2-69, for dust with workplace limit values > 0.1 mg/m3, to include HEPA Cartridge filter, minimum 3 meter hose, air flow sensor to indicate when the air flow is reduced by a clogged filter, full tank, etc., base includes wheels/castors for easy manoeuvring Minimum 2 year warranty		
	Manufacturer:	Catalogue No.:	

<u>Note:</u> Equipment to be commissioned and training provided where appropriate. Where servicing is required during the warranty period then the cost should be included in the tender price.

September 2022

	Equipment for Applied Technology/Technology TECH/A			
Section	Code	Description and Specifications:	Total Cost €:	
Section 1	TECH/A/101-122	Drawing and Design		
Section 2	TECH/A/201-266	Hand Tools		
Section 3	TECH/A/301- 312	Power Tools		
Section 4	TECH/A/401- 460	Electronics and Control Technology		
Section 5	TECH/A/501- 508	Structure and Mechanisms		
Section 6	TECH/A/601- 616	Safety Equipment		

Total (€)	
Add for VAT (€)	
Total amount for List A (€)	

Standards, Specifications and Conditions

All Equipment shall be Durable and Safe for School Use.
Equipment wholly or partly funded from public funds is subject to Inspection by
Officers from the Department of Education.

It is essential that tenders for equipment for School Use shall:

- i) Comply fully with the specifications and be durable and safe for School Use.
- ii) Comply fully with the standards as detailed and shall comply fully with European (EN) standards, both established and developing.
- iii) Comply with European electrical standards and CE marking as appropriate.
- iv) Be accompanied by documentation of sufficient detail for full evaluation.
- v) Include the completed and signed certificate of compliance.

Award of a contract is conditional on the production of a current tax clearance certificate.

Failure to comply with the above may result in the tender being deemed null and void.

Certificate of Compliance with Standards, Specifications & Conditions:		
I/We certify that the equipment tendered complies in all respects w requirements/conditions specified in this tender document. I/We hold a current tax clearance certificate.	ith the Standards, Specifications and other	
Company:		
Signed:	Date:	
Position:		

TECH / B / 1 September 2022

Applied Technology and Technology Equipment List B

Section 1: Machine Tools and Storage

Code Quantity	Description and Specification		Cost € & Warranty
			Offered
TECH/B/101	Vertical Bandsaw		
1	Floor-standing, Min. Cutting Height 310mm, Min. Cutting Width 420mm, Tilting Table to 45 degrees, Rip Fence Aluminium on Cast Iron Mounting with Steel rail, slot in work table to accept mitre guide, mitre guide to be supplied, Upper and Lower Precision Guides in steel, DC Electronic Brake Unit and over load protection, Non- latching emergency stop on bottom of frame, Locks on Door, minimum 3HP, 3 phase		
	Bi-metal (M42) blade to be supplied for metal cutting, GP 3/8" (10mm) x 8 TPI Carbon steel Blade for cutting plastics 1 Rip Saw wood blade 3/4" (20mm) x 4 TPI, and 1 General Purpose wood 3/8" (10mm) x 6 TPI		
	Follow Health & Safety advice regarding use of this machine and age restrictions on its use; Statutory Instruments (SI) No. 36 of 2016 Safety, Health and Welfare at Work (General Application) (Amendment) Regulations 2016		
	Manufacturer:	Catalogue No.:	
TECH/B/102 2	Scroll Saw, 450 mm, with tilt table, variable speed motor, sawdust blower, workpiece hold-down and blade guard attachment. Motor c.120-200 W, 230 V.		
	Three year on-site warranty to include parts and labour.		
	Manufacturer:	Catalogue No.:	
TECH/B/103 1	Magnetic folding machine, Capacity: 1250 x 1,6 mm at 400 N/mm², 230 volt. To be supplied with: Wide clamping bar, narrow clamping bar, slotted clamping bar for shallow boxes, segmented clamping bar (finders), sheet support.		
	Three year on-site warranty to include parts and labour.		
	Manufacturer:	Catalogue No.:	
TECH/B/104 1	Guillotine-Notcher, bench mounted type, table size: c.500 mm x 400 mm, max. capacity in ferrous metals: c.1.5 mm, max. capacity in non-ferrous metals: c.3 mm.		
	Three year on-site warranty to include parts and labour.		
	Manufacturer:	Catalogue No.:	
TECH/B/105 1	Wood Turning Lathe, c.400 W (0.5 HP), floor-standing with faceplate, c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm).		
	Three year on-site warranty to include parts and labour.		
	Manufacturer:	Catalogue No.:	

TECH / B / 2			September 2022
TECH/B/106 2	Drilling Machine, single phase, floor-standing, keyless chuck, cast iron table, tool free belt tensioning, safety guards, weight to exceed 70kg. To be supplied with drill press table to safely secure smaller work pieces.		
	Three year on-site warranty to include parts and labour.		
	Manufacturer:	Catalogue No.:	
TECH/B/107 1	Belt sander, c.150 mm wide belt, bench or floor mounted. Fitted with dust extraction facility in accordance with Circular Letter M45/01. Electrics: 230V, 50Hz.		
	Larger machines NOT suitable, for Hea	alth and Safety Reasons.	
	Three year on-site warranty to include	parts and labour.	
	Manufacturer:	Catalogue No.:	
TECH/B/108 1	Vacuum form cutting machine, bench mounted type, complete with adjustable tilting table, guide fence and dust extraction outlet facility, Electrics: 230 V, 50 Hz.		
	Three year on-site warranty to include	parts and labour.	_
	Manufacturer:	Catalogue No.:	
TECH/B/109 1	Vacuum forming machine, bench top model, cut sheet size min. 250 mm x min. 450 mm. Electrics – 230 V, 50 Hz.		
	Three year on-site warranty to include	parts and labour.	_
	Manufacturer:	Catalogue No.:	
TECH/B/110 3	Thermoplastic sheet Strip Heater, 110 V 50Hz 500 mm suitable for bending thermoplastic sheets up to c.6 mm thick.		
	Three year on-site warranty to include parts and labour.		
	Manufacturer:	Catalogue No.:	
TECH/B/111 1	Plastic dip coating unit. Minimum capacity 50 litres. Supplied complete with air blower and air pressure regulator together with 20 kg packs of two different colours of polyethylene powder. Electrics: 230 V, 50 Hz.		
	Three year on-site warranty to include parts and labour.		_
	Manufacturer:	Catalogue No.:	
TECH/B/112 1	Electric Sharpening system: grinding stone size x width 250mm x 50mm; stone grit K220; leather honing wheel size x width 200 x 30mm; rotation speed min: 80rpm; include jig for straight edges, plane irons, ripping chisels; include angle setting jig for measuring exact angles and settings. Single phase.		
	Three year on-site warranty to include	parts and labour.	
	Manufacturer:	Catalogue No.:	
TECH/B/113 4A	Tool storage presses for hand tools, lockable, approximate size 1900mm x 1000mm x 500mm. These to be supplied with cut-out slots.		
2	Manufacturer:	Catalogue No.:	_
	OF	र	
TECH/B/113B 2	Tool storage presses for hand tools, lockable, approximate size 1900mm x 1000mm x 500mm. These to be supplied with storage trays		

TECH / B / 2 September 2022

Section 2: Digital Technologies and Computer Aided Manufacturing (CAM)			
Code Quantity	Description and Specification		Cost € & Warranty Offered
TECH/B/201 1	Laptop suitable to run laser cutter and 3D printer, to be supplied with a case and wireless optical mouse. Optional purchasing details https://www.pdsttechnologyineducation.ie/en/Technology/Purchasing-Frameworks/ 2 Year warranty.		
	Manufacturer: Ca	atalogue No.:	
TECH/B/202 1	Visualiser: Min. 13 MP Lens, Up to 4K at 30 fps Video, Built-In Mic, coverage A3 + (533x330mm), USB Interface & Power Connection to a PC. 5 year warranty.		
	Manufacturer: Ca	atalogue No.:	
TECH/B/203 1	3D Printer: Min area 200mm x 200mm x 200mm, Suitable for education purposes (not DIY/home spec.) and capable of high quality printing, user-friendly software based on open-source platform (Compatible with Parametric Modelling software used in Design and Communication Graphics (DCG)), Support materials such as PLA, Fully enclosed print chamber, and Technical support must be available. Roll of PLA to be provided with machine.		
	Two year on-site warranty to include parts and labour.		
	Manufacturer: Ca	atalogue No.:	
TECH/B/204 1	Portable CNC design/vinyl cutter, min. material width 500mm, min. material thickness 0.7mm, to include appropriate computer operating software. 2 no. 1 metre vinyl rolls to be supplied. Floor stand as opposed to bench mounting.		
	Three year on-site warranty to include pa	arts and labour.	
	Manufacturer: Ca	atalogue No.:	
TECH/B/205 1	Laser cutter/engraver: CO2, workable on a variety of materials, minimum engraving area 400mm x 300mm, accommodate minimum 100mm thickness, minimum 30-80 Watt laser tube, open source software and driver, Raster & Vector operating modes, single phase, must come with a Vector grid, Air compressor and Fume extraction system, and Technical support must be available.		
	2 year on-site warranty on machine and CO2 tube.		
	NOTE: Only 1 laser cutter to share between Engineering, Technology and Construction Studies room.		
	If school offers any of these three subjects (or are getting an upgrade to any of these rooms) they are entitled to get a laser cutter.		
	Location of laser cutter is identified on each of the room layouts.		
	Manufacturer: Ca	atalogue No.:	

<u>Note:</u> Equipment to be commissioned and training provided where appropriate. Where servicing is required during the warranty period then the cost should be included in the tender price.

September 2022

Equipment for Applied Technology/Technology TECH/A			
Section	Code	Description and Specifications:	Total Cost €:
Section 1	TECH/B/101-114	Machine Tools and Storage	
Section 2	TECH/B/201-205	Digital Technologies and Computer Aided Manufacturing	

Total (€)	
Add for VAT (€)	
Total amount for List B (€)	

Standards, Specifications and Conditions

All Equipment shall be Durable and Safe for School Use.
Equipment wholly or partly funded from public funds is subject to Inspection by
Officers from the Department of Education.

It is essential that tenders for equipment for School Use shall:

- i) Comply fully with the specifications and be durable and safe for School Use.
- ii) Comply fully with the standards as detailed and shall comply fully with European (EN) standards, both established and developing.
- iii) Comply with European electrical standards and CE marking as appropriate.
- iv) Be accompanied by documentation of sufficient detail for full evaluation.
- v) Include the completed and signed certificate of compliance.

Award of a contract is conditional on the production of a current tax clearance certificate.

Failure to comply with the above may result in the tender being deemed null and void.

Certificate of Compliance with Standards, Specifications & Conditions: I/We certify that the equipment tendered complies in all respects with the Standards, Specifications and other requirements/conditions specified in this tender document. I/We hold a current tax clearance certificate. Company: Signed: Date:

Statutory Instruments (SI) No. 36 of 2016 Safety, Health and Welfare at Work (General Application) (Amendment) Regulations 2016

Notes regarding Training, instruction and information are detailed in **Statutory Instruments (SI) No. 36 of 2016 Safety, Health and Welfare at Work (General Application) (Amendment) Regulations 2016.** This full document should be considered if a school is using the machines outlined in the document.

A few key notes include:

- An employer shall ensure that an employee who operates a woodworking machine
 - o (a) has been trained in operating the machine,
 - o (b) has received instruction in accordance with paragraph (2)(a), and
 - o (c) has been provided with the information specified in paragraph (2)(b).
- An employer shall ensure that in advance of operating a wood-working machine an employee shall—
 - (a) receive instruction on—
 - (i) the dangers arising in connection with the machine, the precautions to be observed and the requirements of the Regulations in this Part which apply to the machine,
 - (ii) how to use the guards and any other protection measures required to be provided by Regulation 199 and Regulations 201 to 207 which relate to the machine, and
 - (iii) (iii) procedures for setting up, adjusting, using and cleaning the machine, and be provided with information on the use of the machine, including where relevant—
 - the speed, range, type and dimensions of tools suitable for the machine, (ii) any limitation on the cutting speeds of the machine, particular operations or size and material of any workpiece,
 - (iv) procedures relating to the repair or replacement of any guard or protection device,
 - (v) the availability, suitability and use of any additional protection device, (v) safe methods of handling tools, 8 [36]
 - (vi) correct procedures for start-up, shutdown and isolation of the machine, taking into account the time required for all parts of the machine to come to a halt, (vii) procedures for cleaning the machine,
 - (vii) procedures for setting or adjusting any guard, tool, clamp or other part of a machine, and
 - (viii) in the case of CNC machines, programming.