

Construction Studies/Wood Technology

Equipment List, Specifications and Tendering Guidance

Prepared by The Planning & Building Unit, Department of Education Tullamore, Co. Offaly. R35 Y2N5 www.education.ie

Tendering Guidance

Important Notes to School's /ETB's seeking the items from this list:

- 1. Utilise existing procurement arrangements with suppliers/service providers where available
- 2. Search <u>www.ogp.gov.ie</u> to check if there is a suitable, fit for purpose framework/contract in place for all or some of the items required.
- 3. Choose to seek a request for quotation (RFQ), below the value of 25k, or a request for tender (RFT), above the value of 25k, based on best value for money using both qualitative and cost criteria. All procurement over the value of €25,000 must be advertised and published on www.etenders.gov.ie.
- 4. Seek quotations based on the items that can be competitively quoted from multiple suppliers based on the estimated level of spend following the procurement guidelines. For more advice on the procurement guidelines contact the Schools Procurement Unit (<u>www.spu.ie</u>) or Education Training Board with whom you are associated (list of ETBs on <u>www.etbi.ie</u>).
- 5. Suppliers may not be able to provide the full range of goods listed. In this case they should be requested to quote only for sections where they can supply all items in that section (excluding the equipment where a framework is in place such as CS/B/201).
- 6. The specifications outlined in this document have been reviewed to ensure products of the highest quality are supplied. Substandard equipment should not be proposed or accepted under any circumstances and suppliers should be asked to replace these to the same standard set out or higher. Schools are advised to check this as part of the assessment before finalising the overall scores. In addition to pricing each item, suppliers must also specify the warranty being offered for each item.
- 7. All quotations must be excluding VAT with the VAT highlighted separately.
- 8. Contact the School Procurement Unit or your ETB for further specific guidance.

Construction Studies/Wood Technology Equipment List A

Section 1: Geometric, Drawing and Marking Out Tools			
Code Quantity	Description ar	nd Specification	Cost (€) & Warranty Offered
CS/A/101 1	Set of (magnetic) drawing equipment, for (magnetic) chalkboard, to include (i) compass with steel point (500 mm), (ii) 60°/30° set square (500 mm), (iii) 45° set square (500 mm), (iv) protractor (425 mm) and (v) heavy duty rule with bevelled edges (1000 mm).		
	Manufacturer:	Catalogue No.:	
CS/A/102(A) 24 right handed,	T-squares: A2 size, tape blade, best q edges to blade; blade screwed and do	uality hardwood, with maple or acrylic welled to stock or equal.	
6 left handed	Manufacturer:	Catalogue No.:	
	0	R	
CS/A/102(B) 24 right handed,	Stainless steel T-square with fixed lig with low reflectance.	ht cast aluminium head, brushed blade	
6 left handed	Manufacturer:	Catalogue No.:	
CS/A/103 25	Portable Desktop Drawing Board, A2 size, solid core/particle board/multi- ply, white high pressure laminate above and below, pvc edges and square corners, with rubber feet. Simple robust mechanism to allow use at 0° and 20°, with rubber tractor grip.		
	Manufacturer:	Catalogue No.:	
CS/A/104 25	Graphics/DCG wooden box set, to co 60°/30° & 45° Set Squares (transpare with bevelled edge and open centre. adjustable compass, H and 2H pencil Clips.	ent heavy duty, non-brittle plastic, Sizes: 200 mm, 2 mm thick), quickset	
	Manufacturer:	Catalogue No.:	
CS/A/105	1000mm Steel rule.		
1	Manufacturer:	Catalogue No.:	
CS/A/106	Scaled rule, acrylic, 300 mm, suitable	for graphics/drawing.	
24	Manufacturer:	Catalogue No.:	
CS/A/107	300mm Steel rule.		
25	Manufacturer:	Catalogue No.:	
CS/A/108	Circle template, acrylic type, c.2 mm	1	
1	Manufacturer:	Catalogue No.:	
CS/A/109	Flexi-curve, suitable for technical gra	phics work.	
1	Manufacturer:	Catalogue No.:	
CS/A/110	French curves, set of three, moulded		
1	Manufacturer:	Catalogue No.:	
CS/A/111	Erasing shield, stainless steel type.		
1	Manufacturer:	Catalogue No.:	
CS/A/112	50m Surveyor's fibre measuring tape		
2	Manufacturer:	Catalogue No.:	

CS/A/1			September 2022
CS/A/113	Cutting knife, scalpel type with disp	osable blades.	
25	Manufacturer:	Catalogue No.:	
CS/A/114	Cutting mat, A3 size, plastic, self-rep	pairing.	
25	Manufacturer:	Catalogue No.:	
CS/A/115	Small whiteboard, A3 size, gridded,	with 4 drywipe pens and eraser.	
25	Manufacturer:	Catalogue No.:	
CS/A/116	Scissors 250mm stainless steel.	·	
2	Manufacturer:	Catalogue No.:	
CS/A/117	Scissors 140mm	·	
24	Manufacturer:	Catalogue No.:	
CS/A/118	Spray mount 400ml.	·	
2	Manufacturer:	Catalogue No.:	
CS/A/119 6 of each	Ready mixed water-soluble paint 50 yellow, white).	Oml (red, green, brown, black, blue,	
	Manufacturer:	Catalogue No.:	
CS/A/120	White foam board 3mm thick, 70x1	00cm.	
10	Manufacturer:	Catalogue No.:	
CS/A/121	5m Pocket measuring tape with 19r	nm blade.	
1	Manufacturer:	Catalogue No.:	
CS/A/122	Glue guns and 100 glue sticks.		
12	Manufacturer:	Catalogue No.:	
CS/A/123	150mm Rosewood-stocked try squa	are.	
24	Manufacturer:	Catalogue No.:	
CS/A/124	300mm Rosewood-stocked try squa	are.	
2	Manufacturer:	Catalogue No.:	
CS/A/125	300mm long contour gauge, 50mm	max. profile approx.	
4	Manufacturer:	Catalogue No.:	
CS/A/126	150mm Aluminium mitre template.	·	
6	Manufacturer:	Catalogue No.:	
CS/A/127	250mm Mitre Square, hardwood sto	ock, 45 & 135 degrees, high quality.	
2	Manufacturer:	Catalogue No.:	
CS/A/128	250mm Beech marking gauge, min.	10 year warranty.	
24	Manufacturer:	Catalogue No.:	
CS/A/129	200mm Rosewood mortice gauge.		
12	Manufacturer:	Catalogue No.:	7
CS/A/130	250mm Beech cutting gauge, min. 1		
6	Manufacturer:	Catalogue No.:	
CS/A/131			
CS/A/131	225mm Rosewood sliding bevel, 10	year warranty.	

Section 2: Handsaws and Chisels			
Code Quantity	Description ar	nd Specification	Cost (€) & Warranty Offered
CS/A/201	Beech bench hooks.		
24	Manufacturer:	Catalogue No.:	
CS/A/202	300mm Beech-handled tenon saw, b	rass back, min. 10 year warranty	
24	Manufacturer:	Catalogue No.:	
CS/A/203	200mm Beech-handled dovetail saw,	brass back, min. 10 year warranty.	
12	Manufacturer:	Catalogue No.:	
CS/A/204	450mm Panel saw.		
1	Manufacturer:	Catalogue No.:	
CS/A/205	550mm Cross-cut handsaw.		
1	Manufacturer:	Catalogue No.:	
CS/A/206	600mm Ripsaw.		
1	Manufacturer:	Catalogue No.:	
CS/A/207	Coping saw with 150mm blade.	1	
24	Manufacturer:	Catalogue No.:	
CS/A/208	250mm Pad saw.	1	
1	Manufacturer:	Catalogue No.:	
CS/A/209	350mm Compass saw.	1	
1	Manufacturer:	Catalogue No.:	
CS/A/210	200mm Fixed-blade razor saw.	1	
1	Manufacturer:	Catalogue No.:	
CS/A/211	3mm Bevel-edged chisel, min. 10 yea	r warranty.	_
24	Manufacturer:	Catalogue No.:	
CS/A/212	6mm Bevel-edged chisel, min. 10 yea	r warranty.	
24	Manufacturer:	Catalogue No.:	
CS/A/213	10mm Bevel-edged chisel, min. 10 ye	ear warranty.	
24	Manufacturer:	Catalogue No.:	
CS/A/214	12mm Bevel-edged chisel, min. 10 ye	ear warranty.	
24	Manufacturer:	Catalogue No.:	
CS/A/215	18mm Bevel-edged chisel, min. 10 ye	i i i i i i i i i i i i i i i i i i i	
24	Manufacturer:	Catalogue No.:	
CS/A/216	25mm Bevel-edged chisel, min. 10 ye		4
24	Manufacturer:	Catalogue No.:	
CS/A/217	3mm Firmer chisel, min. 10 year warr		-
6	Manufacturer:	Catalogue No.:	
CS/A/218	6mm Firmer chisel, min. 10 year warr		4
6	Manufacturer:	Catalogue No.:	
CS/A/219	10mm Firmer chisel, min. 10 year wa		-
6	Manufacturer:	Catalogue No.:	
CS/A/220	12mm Firmer chisel, min. 10 year wa		4
6	Manufacturer:	Catalogue No.:	

CS/A/2			September 2022
CS/A/221	18mm Firmer chisel, min. 10 year warranty.		
6	Manufacturer:	Catalogue No.:	
CS/A/222	25mm Firmer chisel, min. 10 year wa	rranty.	
6	Manufacturer:	Catalogue No.:	
CS/A/223	6mm Mortice chisel, min. 10 year warranty.		
24	Manufacturer:	Catalogue No.:	
CS/A/224	10mm Mortice chisel, min. 10 year w	arranty.	
24	Manufacturer:	Catalogue No.:	
CS/A/225 24	13mm Mortice chisel, min. 10 year w	arranty.	
	Manufacturer:	Catalogue No.:	

Section 3: Turning and Carving Tools			
Code Quantity	Description and	d Specification	Cost (€) & Warranty Offered
CS/A/301	Lathe long hole boring kit, min. 10 year	r warranty.	
1	Manufacturer:	Catalogue No.:	
CS/A/302	6mm Turning gouge, min. 10 year warr	anty.	
8	Manufacturer:	Catalogue No.:	
CS/A/303	12mm Turning chisel, min. 10 year war	ranty.	
8	Manufacturer:	Catalogue No.:	
CS/A/304	18mm Turning chisel, min. 10 year war	ranty.	
8	Manufacturer:	Catalogue No.:	
CS/A/305	12mm Skew end turning chisel, min. 10	0 year warranty.	
8	Manufacturer:	Catalogue No.:	
CS/A/306	18mm Skew end turning chisel, min. 10	0 year warranty.	
8	Manufacturer:	Catalogue No.:	
CS/A/307	25mm Skew end turning chisel, min. 10	0 year warranty.	
8	Manufacturer:	Catalogue No.:	
CS/A/308	3mm Parting chisels, min. 10 year warr	ranty.	
8	Manufacturer:	Catalogue No.:	
CS/A/309	6mm Parting chisels, min. 10 year warr	ranty.	
8	Manufacturer:	Catalogue No.:	
CS/A/310	12mm Carving gouge-straight, full size	e, no.7 sweep, min. 10 year warranty.	
8	Manufacturer:	Catalogue No.:	
CS/A/311	12mm Carving gouge-short curved, no	0.27 sweep, min. 10 year warranty.	
8	Manufacturer:	Catalogue No.:	
CS/A/312 6	Lathe Pen turning kit: Kit to include: Dust free Collet, Colt HSS-M2 Parabolic fluted 7 x 150mm drill bit, Universal pen mandrel, Locknut kit, Pen Blank trimming tool, minimum 5 high quality pen kits, 7 & 10mm spacers to suit most sizes of pen kit.		
	Manufacturer:	Catalogue No.:	
CS/A/313	200mm Calipers (4/outside and 4/inside	de).	
8	Manufacturer:	Catalogue No.:	
CS/A/314	Set of 8 double ended 200mm Carving	g Rifflers.	
1	Manufacturer:	Catalogue No.:	

CS/A/3			September 2022
CS/A/315 6	Set of 12 full size (blade 125mm approx.) carving chisels comprising - 1/14 mm Sweep no.1 straight chisel 1/6 mm Sweep no.2 skew chisel 1/14 mm Sweep no.5 straight gouge 1/16 mm Sweep no.5 straight gouge 1/3 mm Sweep no.6 straight gouge 1/10 mm Sweep no.6 straight gouge 1/6 mm Sweep no.7 straight gouge 1/2 mm Sweep no.8 straight gouge 1/2 mm Sweep no.11 straight gouge 1/6 mm Sweep no.39 'vee' tool 1/6 mm Sweep no.14 long curved gouge 1/3 mm Sweep no.21 short curved gouge, or similar.		
	Manufacturer:	Catalogue No.:	
CS/A/316	Set of 6 assorted pattern chip carving	knives, min. 10 year warranty.	
6	Manufacturer:	Catalogue No.:	
CS/A/317	Set of 6 assorted pattern carver's grou	unding punches.	
6	Manufacturer:	Catalogue No.:	
CS/A/318	Veneering hammer.		
1	Manufacturer:	Catalogue No.:	

Section 4: Hand Planes, Knives & Oilstones			
Code Quantity	Description and Specification		Cost (€) & Warranty Offered
CS/A/401	Plough plane & set of cutters, min. 10) year warranty.	
1	Manufacturer:	Catalogue No.:	
CS/A/402	170mm Block plane with 40mm cutte	er, min. 10 year warranty.	
2	Manufacturer:	Catalogue No.:	
CS/A/403	Shoulder plane, min. 10 year warranty	/.	
2	Manufacturer:	Catalogue No.:	
CS/A/404	Rebate plane, min. 10 year warranty.		
1	Manufacturer:	Catalogue No.:	
CS/A/405	380mm Steel jack planes with 60mm	cutters, min. 10 year warranty.	
12	Manufacturer:	Catalogue No.:	
CS/A/406	260mm Steel smoothing plane with 5	Omm cutter, min. 10 year warranty.	
12	Manufacturer:	Catalogue No.:	
CS/A/407	Adjustable metal convex (flat) spokes	have, min. 10 year warranty.	
6	Manufacturer:	Catalogue No.:	
CS/A/408	Adjustable metal concave (curved) sp	okeshave, min. 10 year warranty.	
6	Manufacturer:	Catalogue No.:	
CS/A/409	Cabinet scrapers.		
2	Manufacturer:	Catalogue No.:	
CS/A/410	Burnishing tool.		
1	Manufacturer:	Catalogue No.:	
CS/A/411	250mm Standard flat cut rasp/planer	file.	
6	Manufacturer:	Catalogue No.:	
CS/A/412	250mm Fine flat cut rasp/planer file.		
6	Manufacturer:	Catalogue No.:	
CS/A/413	250mm Standard half round rasp/pla	ner file.	
6	Manufacturer:	Catalogue No.:	
CS/A/414	250mm Fine half round rasp/planer fi	le.	
6	Manufacturer:	Catalogue No.:	
CS/A/415	250mm Standard round rasp/planer f		
6	Manufacturer:	Catalogue No.:	
CS/A/416	250mm Fine round rasp/planer file.		
6	Manufacturer:	Catalogue No.:	
CS/A/417	Marking knives, min. 10 year warrant		
24	Manufacturer:	Catalogue No.:	
CS/A/418	Scalpels with replaceable blades.		
24	Manufacturer:	Catalogue No.:	
CS/A/419	Retractable blade knives.		
1	Manufacturer:	Catalogue No.:	
CS/A/420	Cork sanding blocks.		
24	Manufacturer:	Catalogue No.:	

S	Section 5: Percussion Tools,	Screwdrivers, Pincers & Plier	S
Code Quantity	Description ar	nd Specification	Cost (€) & Warranty Offered
CS/A/501	100mm Beech carpenter's / joiner's I	mallet, min. 10 year warranty.	
24	Manufacturer:	Catalogue No.:	
CS/A/502 6	Beech carvers mallet-head 100 dia. Io warranty.	ength 250mm approx., min. 10 year	
	Manufacturer:	Catalogue No.:	
CS/A/503	c.0.45 kg (16oz) claw hammer.		
4	Manufacturer:	Catalogue No.:	
CS/A/504	0.57 kg (20oz) claw hammer.	·	
1	Manufacturer:	Catalogue No.:	
CS/A/505	12oz Warrington (cross-pein) hamme		
24	Manufacturer:	Catalogue No.:	
CS/A/506	4oz Pin hammer.		
4	Manufacturer:	Catalogue No.:	
CS/A/507	100mm Square head nail punch - 1.5		
2	Manufacturer:	Catalogue No.:	
		Catalogue No	
CS/A/508 2	100mm Pin punch - 1mm point. Manufacturer:	Catalagua Na i	
		Catalogue No.:	
CS/A/509	1.35kg Club (lump) hammer.	1	
	Manufacturer:	Catalogue No.:	
CS/A/510	Heavy duty hammer tacker (Stapler),		
1	Manufacturer:	Catalogue No.:	
CS/A/511	200mm Cabinet pattern screwdriver	with 8mm tip	
2	Manufacturer:	Catalogue No.:	
CS/A/512	150mm Cabinet pattern screwdriver	with 8mm tip.	
2	Manufacturer:	Catalogue No.:	
CS/A/513	100mm Plastic-handled Screwdriver	with 6mm flared tip.	
6	Manufacturer:	Catalogue No.:	
CS/A/514	100mm Pozidriv Pz1 Plastic-handled	Screwdriver.	
12	Manufacturer:	Catalogue No.:	
CS/A/515	100mm Pozidriv Pz2 Plastic-handled	Screwdriver.	
12	Manufacturer:	Catalogue No.:	
CS/A/516 2	6 Piece Sets Crosshead/Slotted Screy 1/plastic- handled 150 mm flared-tip 1/ plastic-handled 100 mm parallel-t 1/ plastic-handled 75 mm parallel-tip 1/ plastic-handled Pz0 1/ plastic-handled Pz1 1/ plastic-handled Pz2 Manufacturer:	wdrivers comprising - ip	
CC (A (E 4 7		Catalogue No.:	
CS/A/517 12	Plastic-handled Bradawl, min. 10 yea		
	Manufacturer:	Catalogue No.:	
CS/A/518	Beech / Boxwood-handled Gimlet.		
2	Manufacturer:	Catalogue No.:	

CS/A/5	Se		eptember 2022
CS/A/519	200mm Lancashire Pattern Pincers, boxwood-handled gimlet.		
2	Manufacturer:	Catalogue No.:	
CS/A/520	300mm Straight Tinsnips.		
1	Manufacturer:	Catalogue No.:	
CS/A/521 4	Sleeved, Engineering Pliers comprising - 1/200 mm Standard Combination 1/200 mm Long-Nosed 1/200 mm Diagonal Cutting 1/150 mm Standard Combination		
	Manufacturer:	Catalogue No.:	
CS/A/522	250mm Straight Jaw-Locking Vice Gr	ips.	
1	Manufacturer:	Catalogue No.:	

Section 6: Wood boring Bits, Drills & Braces			
Code Quantity	Description and Specification		Cost (€) & Warranty Offered
CS/A/601 1	Set Brace Auger Bits comprising - 1/6 mm 1/8 mm 1/10 mm 1/13 mm 1/13 mm 1/16 mm 1/19 mm 1/22 mm		
	Manufacturer:	Catalogue No.:	
CS/A/602	12mm Flat/Improved Pattern Centre	1	
	Manufacturer:	Catalogue No.:	
CS/A/603 12	18mm Flat/Improved Pattern Centre		
	Manufacturer:	Catalogue No.:	
CS/A/604 1	300mm Sweep Ratchet Brace.		
	Manufacturer:	Catalogue No.:	
CS/A/605 1	Double Pinion Hand Drill with 8 mm		
	Manufacturer:	Catalogue No.:	
CS/A/606 2	4Sets Drill Bits for Metal and Plastic of 1 - 13mm HSS	comprising -	
	Manufacturer:	Catalogue No.:	
CS/A/607 2	Sets Drill Bits for Wood comprising - 2/3 mm 1/4 mm 1/5 mm 1/6 mm 1/8 mm 1/10 mm		
	Manufacturer:	Catalogue No.:	
CS/A/608	12mm Countersink Drill Bits.		
2	Manufacturer:	Catalogue No.:	
CS/A/609	Set Forstner High Speed Bit Set.		
1	Manufacturer:	Catalogue No.:	

Section 7: Vices, Cramps, Spanners and Plumbing			
Code Quantity	Description and S	Specification	Cost (€) & Warranty Offered
CS/A/701	900mm Sash Cramps, heavy duty, min. 10	.0 year warranty.	
12	Manufacturer: Ca	atalogue No.:	
CS/A/702	1200mm Sash Cramps, heavy duty, min.	10 year warranty.	
12	Manufacturer: Ca	atalogue No.:	
CS/A/703	600mm Sash Cramps, heavy duty, min. 10	.0 year warranty.	
8	Manufacturer: Ca	atalogue No.:	
CS/A/704	Sets of Cramp Heads.		
4	Manufacturer: Ca	atalogue No.:	
CS/A/705	Mitre Cutting/Corner Cramps, min. 10 ye	ear warranty.	
4		atalogue No.:	
CS/A/706	450mm Quick Grip Clamps, min. 10 year	warranty.	
8		atalogue No.:	
CS/A/707	150mm Single-Handed Cramps, min. 10	Ŭ	
24		atalogue No.:	
CS/A/708	1200mm T Bar Cramp.		
4	Manufacturer: Ca	atalogue No.:	
CS/A/709	Model-maker's 'Hand Vice'.		
4	Manufacturer: Ca	atalogue No.:	
CS/A/710	Fitter's (Metalworking) Vice, min. 10 year	<u> </u>	
1		atalogue No.:	
CS/A/711 2	125 Opening Drill Press Vice, min. 10 yea supplied with pillar drill CS/B/107	ar warranty. Not included if	
	Manufacturer: Ca	atalogue No.:	
CS/A/712 1	Set of Socket Spanners comprising 1/8 mm 1/9 mm 1/10 mm 1/10 mm 1/11 mm 1/12 mm 1/12 mm 1/13 mm 1/14 mm 1/15 mm 1/15 mm 1/16 mm 1/17 mm 1/17 mm 1/19 mm 1/22 mm 1 Ratchet Handle Min. 10 year warranty.		
	Manufacturer: Ca	atalogue No.:	
CS/A/713 1	225mm Quick Release Woodworking Ber Robust, close grain cast iron woodworkin release mechanism to allow jaw to slide f screw. This item is not for new schools and is in vices. Quantity to be approved by F&E o	ng bench vice fitted with quick freely along the buttress thread ntended for replacement of broken	

CS/A/7		S	eptember 2022
CS/A/7 CS/A/714 1	Set of 12 Spanners consisting 1/8 mm 1/9 mm 1/10 mm 1/10 mm 1/11 mm 1/12 mm 1/13 mm 1/13 mm 1/14 mm 1/15 mm 1/15 mm 1/16 mm 1/17 mm 1/17 mm 1/19 mm 1/19 mm 1/22 mm Deep-offset pattern ring end - open end warranty.	end set at an angle, min. 10 year	eptember 2022
	Manufacturer:	Catalogue No.:	
CS/A/715 1	Sets of Spanners for Compression Fitt 1/15 mm 1/22 mm 1/28 mm Convex or Similar.		
	Manufacturer:	Catalogue No.:	
CS/A/716	300mm Stillson Pattern Pipe Wrench		
1	Manufacturer:	Catalogue No.:	
CS/A/717	350mm Chain Type Pipe Wrench		
1	Manufacturer:	Catalogue No.:	
CS/A/718	300mm Hacksaw, min. 10 year warra	nty.	
1	Manufacturer:	Catalogue No.:	
CS/A/719	200mm Junior Hacksaw, min. 10 year	warranty.	
1	Manufacturer:	Catalogue No.:	
CS/A/720	Lazy Tongs Pop Riveter		
1	Manufacturer:	Catalogue No.:	
CS/A/721	Adjustable Tap Wrench		
1	Manufacturer:	Catalogue No.:	
CS/A/722 1	Tap Set (including taper, second and p 10 year warranty.	olug) for 6 mm and 8 mm threads, min.	
	Manufacturer:	Catalogue No.:	
CS/A/723	Stock for Circular Split Dies		
1	Manufacturer:	Catalogue No.:	
CS/A/724	Set of Circular Split Dies for 6 mm - 8	mm screw cutting	
1	Manufacturer:	Catalogue No.:	
CS/A/725 1	Set of 150mm flat, half-round, round, with handles	square and triangular double-cut files	
	Manufacturer:	Catalogue No.:	
CS/A/726	9 Piece Set of Allen Keys comprising 2	2-10mm.	
1	Manufacturer:	Catalogue No.:	

Section 8: Portable Power Tools			
Code Quantity	<u>Note:</u> Portable Tools to be sup Where possible, the same brand t	nd Specification plied as cordless appliances only to be supplied for all tools to ensure nterchangeable	Cost (€) & Warranty Offered
CS/A/801 1	Min. 18 volt Cordless Router, portabl Collet capacity: 10,000 – 30,000/min Plunge 0-35mm, Collet capacity: 3/8 Minimum Two year warranty. Manufacturer:	n, Plunge Capacity: Trimmer 0-40mm,	
CS/A/802	Set of 12 Assorted Router Bits to sui		
1	Manufacturer:	Catalogue No.:	
CS/A/803	c. 400 mm X 400 mm Non-Slip indus		
1	Manufacturer:		
CS/A/804 1	Manufacturer:Catalogue No.:Min. 18 volt Portable Jigsaw with toolcase, with charger and 2 batteries Bevel Capacity: 45°.Minimum Two year warranty.		
	Manufacturer:	Catalogue No.:	
CS/A/805 2	Min. 18 volt Portable Orbital Sander Extractor, with charger and two batte Minimum Two year warranty.	with outlet compatible with Dust	
	Manufacturer:	Catalogue No.:	
CS/A/806 1	Min. 18 volt Portable Palm Sander w Extractor, with charger and two batter Minimum Two year warranty.	ith outlet compatible with Dust	
	Manufacturer:	Catalogue No.:	
CS/A/807 1	Min. 18 volt Portable Biscuit Joiner with outlet compatible with Dust Extractor and case, with charger and two batteries, Blade Diameter: 100 mm, Blade Thickness: 4 mm, Hole Diameter: 22 mm. Minimum Two year warranty.		
	Manufacturer:	Catalogue No.:	
CS/A/808	Portable 12/24/110 V, 50 Hz variabl	e speed Power Wood Carver.	
1	Manufacturer:	Catalogue No.:	
CS/A/809	Portable 12/24/110 V, 50 Hz Pyrogr	aph Machine.	
8	Two year warranty.		
	Manufacturer:	Catalogue No.:	
CS/A/810 4	Rechargable, minimum 18 V, Portable charger and two batteries.	e Cordless Drill with case, to include	
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
CS/A/811 1	Airbrush with fine, medium and heav hose for attachment to compressed a	air canister or air compressor.	
	Manufacturer:	Catalogue No.:	

CS/A/7		S	September 2022
CS/A/812	Portable oil-less diaphragm type air compressor for use with airbrush.		
1	Two year warranty.		
	Manufacturer:	Catalogue No.:	
CS/A/813	Mini Rotary Tool/Drill 3 mm shaft cap	pacity.	
1	Two year warranty.		
	Manufacturer:	Catalogue No.:	
CS/A/814 1	38 mm General Purpose Drill Holesav 1/16 mm 1/20 mm 1/25 mm 1/32 mm 1/40 mm 1/51 mm A1 and A10 Arbors A7 Ejector Spring	v Kit comprising	
	Manufacturer:	Catalogue No.:	
CS/A/815 1	Set of 1/25 mm 1/50 mm 1/75 mm Sanding Drums incorporating an abrasive paper gripping system suitable for mounting into and drill press or power drill.		
	Manufacturer:	Catalogue No.:	
CS/A/816	10 m, 13 amp, 240 V Extension Cable	Reel.	
1	Manufacturer:	Catalogue No.:	

Code Quantity Description and Specification Note: This section can be quoted for separately Cost (€) & Warranty Offered CS/A/901 Plastic Component Box - 15 Grid. Manufacturer: Catalogue No: CS/A/902 Electric soldering iron, complete with stand and sponge, min. 30 W, 220-240 V Two year warranty. Manufacturer: Catalogue No:: Electric soldering iron, complete with stand and sponge, min. 30 W, 220-240 V Two year warranty. Manufacturer: Catalogue No:: CS/A/903 Temperature controlled electric soldering iron/station, complete with stand and cleaning sponge, c.50 W, 220-240 V Two year warranty. Manufacturer: Catalogue No: CS/A/904 Miniature electronics tool kit, to contain tools such as pliers, snips, wire strippers and screwdrivers, in appropriate case. Manufacturer: Catalogue No: CS/A/905 Helping-hands for soldering work. 12 Manufacturer: Catalogue No: CS/A/905 Helping-hands for soldering work. Easting prox.): 12 Manufacturer: Catalogue No: CS/A/906 Twaitable voltage power supply unit, overload protection. Performance (approx.): Catalogue No: CS/A/906 Digital multi-m	Section 9: Electronics Equipment			
6 Manufacturer: Catalogue No.: CS/A/902 Electric soldering iron, complete with stand and sponge, min. 30 W, 220-240 V 12 Z20-240 V 200 Two year warranty. Manufacturer: Catalogue No.: CS/A/903 Temperature controlled electric soldering iron/station, complete with stand and cleaning sponge, c.50 W, 220-240 V Two year warranty. Manufacturer: CS/A/904 Miniature electronics tool kit, to contain tools such as pilers, snips, wire strippers and screwdrivers, in appropriate case. Manufacturer: Catalogue No.: CS/A/905 Helping-hands for soldering work. 12 Manufacturer: Catalogue No.: CS/A/906 LT variable voltage power supply unit, overload protection. Performance (approx.); DC - 0-25 V (no load) and 24 V (8 A load) AC - 0-25 V (no load) and 24 V (8 A load) Two year warranty. Manufacturer: Catalogue No.: CS/A/907 De-soldering pump, portable type. 2 Manufacturer: Catalogue No.: CS/A/908 Digital multi-meter, auto-ranging frequency measurement, capacitance measurement and transistor test. 2 Voltage a. and d.c c.5 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c c.5 ranges each from 200 mV x 100 mV		-		Warranty
CS/A/902 Electric soldering iron, complete with stand and sponge, min. 30 W, 220-240 V Two year warranty. Manufacturer: Catalogue No.: CS/A/903 Temperature controlled electric soldering iron/station, complete with stand and cleaning sponge, c.50 W, 220-240 V Two year warranty. Manufacturer: Catalogue No.: CS/A/904 Two year warranty. Manufacturer: Catalogue No.: CS/A/904 Miniature electronics tool kit, to contain tools such as pliers, snips, wire strippers and screwdrivers, in appropriate case. Manufacturer: Catalogue No.: CS/A/905 Helping-hands for soldering work. 12 Manufacturer: Catalogue No.: CS/A/905 Helping-hands for soldering work. 12 To anufacturer: Catalogue No.: CS/A/905 Helping-hands for soldering work. Catalogue No.: CS/A/906 Desoldering pump, portable type. Decoldering pump, portable type. 0 C - 0-25 V (no load) and 24 V (8 A load) Two year warranty. Manufacturer: Catalogue No.: Cs/A/907 De-soldering pump, portable type. Desoldering pump, and the pump more acces case controm 200 mV x 100 mV to 600 V x 1V Current ac and d.c - c.4 ranges each from 200 mV x 100 mV to 600			Catalogue No.:	
CS/A/903 Temperature controlled electric soldering iron/station, complete with stand and cleaning sponge, c.50 W, 220-240 V Two year warranty. Manufacturer: Catalogue No.: CS/A/904 Miniature electronics tool kit, to contain tools such as pliers, snips, wire strippers and screwdrivers, in appropriate case. Manufacturer: Catalogue No.: CS/A/905 Helping-hands for soldering work. 12 Manufacturer: Catalogue No.: CS/A/906 LT variable voltage power supply unit, overload protection. 6 Performance (approx.): DC - 0-25 V (no load) and 24 V (8 A load) AC - 0-25 V (no load) and 24 V (8 A load) AC - 0-25 V (no load) and 24 V (8 A load) 7 Manufacturer: Catalogue No.: CS/A/907 De-soldering pump, portable type. 2 Manufacturer: Catalogue No.: CS/A/908 Digital multi-meter, auto-ranging frequency measurement, capacitance measurement and transistor test. Voltage a.c and d.c - c.4 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges from 200 pF x 1 pt to 20 mF 10 nF Frequency - c.5 ranges from 200 R X 2 nU x 100 rK Capacitance - c.5 ranges from 200 R X 1 nu to 20 MHz x 100 kHz Diode test Continuity text Transistor test NPN and PNP Two year warranty. Manufacturer: Catalogue No		220-240 V Two year warranty.	stand and sponge, min. 30 W,	
CS/A/904 Miniature electronics tool kit, to contain tools such as pliers, snips, wire strippers and screwdrivers, in appropriate case. Manufacturer: Catalogue No.: CS/A/905 Helping-hands for soldering work. 12 Manufacturer: Catalogue No.: CS/A/905 LT variable voltage power supply unit, overload protection. 6 Performance (approx.): DC - 0-25 V (no load) and 24 V (8 A load) AC - 0-25 V (no load) and 24 V (8 A load) Two year warranty. Manufacturer: Catalogue No.: CS/A/907 De-soldering pump, portable type. 2 Manufacturer: Catalogue No.: CS/A/908 Digital multi-meter, auto-ranging frequency measurement, capacitance measurement and transistor test. Voltage a.c and d.c - c.5 ranges each from 20 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges each from 20 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.5 ranges from 200 R v 0.01 R to 20 M x 101 MA Resistance - c.6 ranges from 200 R v 0.01 R to 20 M x 100 KI Capacitance - c.5 ranges from 200 R v 0.01 R to 20 M x 100 KI Capacitance - c.5 ranges from 200 PF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 200 NP x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 200 PF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 200 PF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 200 PF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 200 pF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 200 pF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges f		Temperature controlled electric solde and cleaning sponge, c.50 W, 220-24 Two year warranty.	ering iron/station, complete with stand O V	
CS/A/905 Helping-hands for soldering work. 12 Manufacturer: Catalogue No.: CS/A/906 LT variable voltage power supply unit, overload protection. Performance (approx.): DC - 0-25 V (no load) and 24 V (8 A load) AC - 0-25 V (no load) and 24 V (8 A load) Manufacturer: Catalogue No.: CS/A/907 De-soldering pump, portable type. 2 Manufacturer: Catalogue No.: CS/A/908 Digital multi-meter, auto-ranging frequency measurement, capacitance measurement and transistor test. Voltage a.c and d.c - c.4 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.5 ranges from 200 R x 0.01 R to 20 M X 10 K Capacitance - c.5 ranges from 200 R x 0.01 R to 20 M H z x 100 kHz Diode test Continuity text Transistor test NPN and PNP Two year warranty. Manufacturer: Catalogue No.: CS/A/9109 Single core wire, diameter, c.1.2 mm x c.100m length, to include: Black reels, Red reels, Blue reels. colour CS/A/910 Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Colour CS/A/910 Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Colour		Miniature electronics tool kit, to cont strippers and screwdrivers, in approp	ain tools such as pliers, snips, wire riate case.	
6 Performance (approx.): DC - 0-25 V (no load) and 24 V (8 A load) AC - 0-25 V (no load) and 24 V (8 A load) Two year warranty. Manufacturer: Catalogue No.: CS/A/907 De-soldering pump, portable type. 2 Manufacturer: Catalogue No.: CS/A/908 Digital multi-meter, auto-ranging frequency measurement, capacitance measurement and transistor test. Voltage a.c and d.c - c.5 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges each from 2 mA x 1 mA to 10 x 10 mA Resistance - c.5 ranges from 200 R x 00.1 R to 20 MF 10 nF Frequency - c.5 ranges from 200 Q x 0.0 I R to 20 mF 10 nF Frequency - c.5 ranges from 2 kHz x 1 pt to 20 mF 10 nF Frequency - c.5 ranges from 2 kHz x 1 pt to 20 MHz x 100 kHz Diode test Continuity text Transistor test NPN and PNP Two year warranty. Manufacturer: Catalogue No.: CS/A/909 Single core wire, diameter, c.1.2 mm x c.100m length, to include: Black reels, Red reels, Blue reels. Colour Manufacturer: Catalogue No.: Cs/A/910 Stranded wire, diameter, c.1.4 mm x c.100m length, to include: Black reels, Red reels, Blue reels. CS/A/910 Stranded wire, diameter, c.1.4 mm x c.100m length, to include: Black reels, Red reels, Blue reels. Colour Manufacturer: Catalogue No.: Cs/A/911				
Manufacturer: Catalogue No.: CS/A/907 De-soldering pump, portable type. 2 Manufacturer: Catalogue No.: CS/A/908 Digital multi-meter, auto-ranging frequency measurement, capacitance measurement and transistor test. Voltage a.c and d.c - c.5 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges each from 2 mA x 1 mA to 10 x 10 mA Resistance - c.6 ranges from 2000 pF x 1 pf to 20 M X 10 K Capacitance - c.5 ranges from 2000 pF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 2 kHz x 1 Hz to 20 MHz x 100 kHz Diode test Continuity text Transistor test NPN and PNP Two year warranty. Manufacturer: Catalogue No.: CS/A/909 Single core wire, diameter, c.1.2 mm x c.100m length, to include: Black reels, Red reels, Blue reels. Catalogue No.: CS/A/910 Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Manufacturer: CS/A/911 Cable Mounting Sockets 20 Way. Catalogue No.: Catalogue No.:		Performance (approx.): DC – 0-25 V (no load) and 24 V (8 A load) AC – 0-25 V (no load) and 24 V (8 A load)		
2 Manufacturer: Catalogue No.: CS/A/908 Digital multi-meter, auto-ranging frequency measurement, capacitance measurement and transistor test. 2 Voltage a.c and d.c - c.5 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges each from 2 mA x 1 mA to 10 x 10 mA Resistance - c.6 ranges from 2000 pF x 1 pf to 20 M x 10 K Capacitance - c.5 ranges from 2000 pF x 1 pf to 20 M X 10 K Capacitance - c.5 ranges from 2000 pF x 1 pf to 20 M Hz x 100 kHz Diode test Continuity text Transistor test NPN and PNP Two year warranty. Manufacturer: Catalogue No.: CS/A/909 Single core wire, diameter, c.1.2 mm x c.100m length, to include: Black reels, Red reels, Blue reels. Catalogue No.: CS/A/910 Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Catalogue No.: CS/A/911 Cable Mounting Sockets 20 Way. Catalogue No.:			Catalogue No.:	
CS/A/908 Digital multi-meter, auto-ranging frequency measurement, capacitance measurement and transistor test. Voltage a.c and d.c - c.5 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges each from 2 mA x 1 mA to 10 x 10 mA Resistance - c.6 ranges from 200 R x 0.01 R to 20 M x 10 K Capacitance - c.5 ranges from 2000 pF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 2 kHz x 1 Hz to 20 MHz x 100 kHz Diode test Continuity text Transistor test NPN and PNP Two year warranty. Manufacturer: Catalogue No.: CS/A/909 Single core wire, diameter, c.1.2 mm x c.100m length, to include: Black reels, Red reels, Blue reels. Catalogue No.: CS/A/910 Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Catalogue No.: CS/A/911 Cable Mounting Sockets 20 Way. Catalogue No.:		De-soldering pump, portable type.		
2 measurement and transistor test. Voltage a.c and d.c - c.5 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges each from 2 mA x 1 mA to 10 x 10 mA Resistance - c.6 ranges from 200 R x 0.01 R to 20 M x 10 K Capacitance - c.5 ranges from 2000 pF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 2 kHz x 1 Hz to 20 MHz x 100 kHz Diode test Continuity text Transistor test NPN and PNP Two year warranty. Manufacturer: CS/A/909 2 rolls of each colour Single core wire, diameter, c.1.2 mm x c.100m length, to include: Black reels, Red reels, Blue reels. Colour CS/A/910 2 rolls of each colour Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Colour CS/A/910 2 rolls of each colour Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Colour CS/A/911 2 rolls of each colour Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Colour CS/A/911 2 rolls of each colour Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Catalogue No.:			, e	
Manufacturer:Catalogue No.:CS/A/909 2 rolls of each colourSingle core wire, diameter, c.1.2 mm x c.100m length, to include: Black reels, Red reels, Blue reels.Manufacturer:Catalogue No.:CS/A/910 2 rolls of each colourStranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels.CS/A/910 2 rolls of each colourStranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels.CS/A/911 Coble Mounting Sockets 20 Way.Catalogue No.:		measurement and transistor test. Voltage a.c and d.c - c.5 ranges each from 200 mV x 100 mV to 600 V x 1V Current a.c and d.c - c.4 ranges each from 2 mA x 1 mA to 10 x 10 mA Resistance - c.6 ranges from 200 R x 0.01 R to 20 M x 10 K Capacitance - c.5 ranges from 2000 pF x 1 pf to 20 mF 10 nF Frequency - c.5 ranges from 2 kHz x 1 Hz to 20 MHz x 100 kHz Diode test Continuity text		
CS/A/909 Single core wire, diameter, c.1.2 mm x c.100m length, to include: 2 rolls of each Black reels, Red reels, Blue reels. colour Manufacturer: Catalogue No.: CS/A/910 Stranded wire, diameter, c.1.4mm x c.100m length, to include: 2 rolls of each Black reels, Red reels, Blue reels. colour Stranded wire, diameter, c.1.4mm x c.100m length, to include: Black reels, Red reels, Blue reels. Black reels, Red reels, Blue reels. colour Manufacturer: Catalogue No.: CS/A/911 Cable Mounting Sockets 20 Way.				
2 rolls of each colour Black reels, Red reels, Blue reels. Manufacturer: Catalogue No.: CS/A/910 Stranded wire, diameter, c.1.4mm x c.100m length, to include: 2 rolls of each colour Black reels, Red reels, Blue reels. Manufacturer: Catalogue No.: CS/A/911 Cable Mounting Sockets 20 Way.				
CS/A/910 Stranded wire, diameter, c.1.4mm x c.100m length, to include: 2 rolls of each colour Black reels, Red reels, Blue reels. Manufacturer: Catalogue No.: CS/A/911 Cable Mounting Sockets 20 Way.	2 rolls of each	Black reels, Red reels, Blue reels.	-	
CS/A/911 Cable Mounting Sockets 20 Way.	2 rolls of each	Stranded wire, diameter, c.1.4mm x c Black reels, Red reels, Blue reels.	.100m length, to include:	
			Catalogue No.:	
		- · · ·	Catalogue No.:	

CS/A/8	-		September 2022
CS/A/912 10 10 10 10 10	Pack/kit of 4 mm plugs and sockets, t 4 mm Plug Red 4 mm Socket Red 4 mm Plug Black 4 mm Socket Black	to include:	
	Manufacturer:	Catalogue No.:	
CS/A/913 20 of each type	Miniature motors; High torque miniature motor (3-6 V), High power, 12 V motor Solar motor.		_
CC (A (01.4	Manufacturer:	Catalogue No.:	
CS/A/914 50	Motor mount (e.g., self-adhesive) to s AT/A/915.	1	_
	Manufacturer:	Catalogue No.:	
CS/A/915 6	Miniature multi-ratio gearbox and mo OR in kit form, motor to operate on o		
	Manufacturer:	Catalogue No.:	
CS/A/916 6	Miniature worm drive gearbox with n motor to operate on c.1.5-4.5 V powe		
	Manufacturer:	Catalogue No.:	
CS/A/917 300 of each colour	Standard 5mm LED's, to include Red Yellow Green Clear Flashing		
	Manufacturer:	Catalogue No.:	
CS/A/918 300 of each colour	Standard 3mm LED's, to include Red Yellow Green Flashing		
	Manufacturer:	Catalogue No.:	
CS/A/919 25	Handheld, programmable micro-comprogrammable LEDs, 2 programmable pins, Light and temperature sensors, and compass), Wireless Communication interface. It should have the capabilition Blocks, Javascript, Python or Scrate battery cage and protector case.	e buttons, Physical connection Motion sensors (accelerometer on, via Radio and Bluetooth, USB y to be coded from any web browser	
	Manufacturer:	Catalogue No.:	
CS/A/920	All-in-one robotics board (for micro-c	computer specified in CS/A/919).	_
30	Manufacturer:	Catalogue No.:	
CS/A/921 60	specified in CS/A/919).	2.54mm, 36-way (for micro-computer	_
	Manufacturer:	Catalogue No.:	
CS/A/922 1	Edge connector breakout board (for r CS/A/919).	· · ·	
	Manufacturer:	Catalogue No.:	
CS/A/923 200	Jumper Wires 20cm Male / Female.		_
200	Manufacturer:	Catalogue No.:	

CS/A/9		S	eptember 2022
CS/A/924	Alligator Clip with Pigtail (4 Pack).		
60	Manufacturer:	Catalogue No.:	
CS/A/925	Right Angle Geared Hobby Motor.		
30	Manufacturer:	Catalogue No.:	
CS/A/926	Linear Actuator.		
30	Manufacturer:	Catalogue No.:	
CS/A/927	12 mm Internal Pipe Bending Spring.		
30	Manufacturer:	Catalogue No.:	
CS/A/928	Mini 180 Degree Resin Gear Servo.		
30	Manufacturer:	Catalogue No.:	
CS/A/929	Plastic Component Box - 15 Grid.		
30	Manufacturer:	Catalogue No.:	
CS/A/930 6	Smart Home Kit, to include temperature sensor, sound sensor, crash sensor, servo, motor (for micro-computer specified in CS/A/919). This kit should be capable of projects such as voice-activated light, smart fan, auto window and water level detector.		
	Manufacturer:	Catalogue No.:	
CS/A/931 5 of each pack	 Pack/kit of accessories suitable for electronics work (i.e., push-fit directly to miniature motor shafts): Pack of c.10 plastic wheels, various diameter sizes (e.g., 30mm - 70mm) Pack of c.10 plastic propellers, c.100mm diameter, 2 or 3 blades. Pack of c.10 2mm steel shafting Pack of c.10 3mm steel shafting Pack of c.10 miniature pulleys, various diameter sizes (e.g., 8mm to 25mm) Pack of c.10 plastic gears, various diameter sizes (e.g., 15mm to 40mm) Pack of c.10 miniature worm gears. 		
	Manufacturer:	Catalogue No.:	

Section 10: Brick/Block Laying and Glazing Tools			
Code Quantity	Description a	nd Specification	Cost (€) & Warranty Offered
CS/A/1001	30m Die-Cast Chalkline		
1	Manufacturer:	Catalogue No.:	
CS/A/1002	150mm x 6mm Cold Chisel		
1	Manufacturer:	Catalogue No.:	
CS/A/1003	150mm x 12mm Cold Chisel		
1	Manufacturer:	Catalogue No.:	
CS/A/1004	200mm x 15mm Cold Chisel		
1	Manufacturer:	Catalogue No.:	
CS/A/1005	200mm x 18mm Cold Chisel		
1	Manufacturer:	Catalogue No.:	
CS/A/1006	200mm x 25mm Cold Chisel		
1	Manufacturer:	Catalogue No.:	
CS/A/1007	225mm X 50mm Bolster Chisel		
1	Manufacturer:	Catalogue No.:	
CS/A/1008	Solid Brass Plumb Bob		
1	Manufacturer:	Catalogue No.:	
CS/A/1009	250mm Steel, Capped Bricklayer's T	rowel	
1	Manufacturer:	Catalogue No.:	
CS/A/1010	125mm Steel, Standard Pointing Tro	wel	
1	Manufacturer:	Catalogue No.:	
CS/A/1011	300mm x 300mm Aluminium Hawk		
1	Manufacturer:	Catalogue No.:	
CS/A/1012	275mm x 119mm Stainless Steel Pla	stering Float	
1	Manufacturer:	Catalogue No.:	
CS/A/1013	300mm x 125mm Wood Float	·	
1	Manufacturer:	Catalogue No.:	
CS/A/1014	600mm x 400mm x 2.5mm Steel Ro	ofing Square	
1	Manufacturer:	Catalogue No.:	
CS/A/1015	Tungsten Carbide Glass Cutter		
1	Manufacturer:	Catalogue No.:	
CS/A/1016	Glass Cutter's 'Tee' Square		
1	Manufacturer:	Catalogue No.:	
CS/A/1017	50mm Putty Knife	· ·	
1	Manufacturer:	Catalogue No.:	
CS/A/1018	75mm Putty Knife		
1	Manufacturer:	Catalogue No.:	
	1		

Section 11: Paint Brushes, Sweeping Brushes and Dispensers			
Code Quantity	Description and Specification		Cost (€) & Warranty Offered
CS/A/1101 12 of each size	Paint Brushes: 12mm, 25mm, 38mm, 50mm		
	Manufacturer:	Catalogue No.:	
CS/A/1102	Paint Brush Pencil Lark/Crow		
1	Manufacturer:	Catalogue No.:	
CS/A/1103 2	25 mm Paint Brush Fitches consisting 1/round, 1/lining, 1/flat and 1/bent	g of;	
	Manufacturer:	Catalogue No.:	
CS/A/1104	1350mm Handled Grafting Spade.		
1	Manufacturer:	Catalogue No.:	
CS/A/1105	Yard Brush with Handle		
2	Manufacturer:	Catalogue No.:	
CS/A/1106	4 Row Heavy Duty Wire Brush		
2	Manufacturer:	Catalogue No.:	
CS/A/1107	300mm x 200mm Square Mouth 700	Omm Handled Shovel	
1	Manufacturer:	Catalogue No.:	
CS/A/1108	West Country Pattern Shovel with 13	350mm Handle	
1	Manufacturer:	Catalogue No.:	
CS/A/1109 4	600mm Sweeping Brush with Handle Product available from PPE and First		
	Manufacturer:	Catalogue No.:	
CS/A/1110 24	Banister type c.300mm x 50mm flat-backed Bench Brush. Resin set pure bristle. Product available from PPE and First Aid Framework.		
	Manufacturer:	Catalogue No.:	
CS/A/1111 6	Large Plastic Dust/Litter Bin with Lid Product available from PPE and First		
	Manufacturer:	Catalogue No.:	

Section 12: Specialist Instruments			
Code Quantity	Description and Specification		Cost (€) & Warranty Offered
CS/A/1201 1	Wet & Dry Bulb Hygrometer , c.250r glass reservoir. Relative Humidity cha		
	Manufacturer:	Catalogue No.:	
CS/A/1202 1	Sound Level Meter, LCD Display 30 dB – 130 dB Two year warranty.		
	Manufacturer:	Catalogue No.:	
CS/A/1203 1	Light Meter, LCD Display (Lux and/or Two year warranty.	r candelas) - resolve to 0.1 Lux	
	Manufacturer:	Catalogue No.:	
CS/A/1204 1	Automatic Laser Level. Suitable for indoor or outdoor work. With visible laser safe for student use. Accuracy of 6mm at 35mm, 360° rotation, also usable for vertical alignment, heavy duty tripod and protective carrying case and 2m extendable staff. Two year warranty.		
	Manufacturer:	Catalogue No.:	

Section 13: Safety Equipment			
Code Quantity	Description ar	nd Specification	Cost (€) & Warranty Offered
CS/A/1301 1	Wall-Mounted First Aid Cabinet c.37 equipped with minimum 24 person fi Product available from PPE and First		
	Manufacturer:	Catalogue No.:	
CS/A/1302 1	Set of minimum 6 / Laminated wall-n Product available from PPE and First		
	Manufacturer:	Catalogue No.:	
CS/A/1303 25	Non-mist Safety Goggles, full ventilat kite marked to BS 2092. Product available from PPE and First	tion, suitable for use over spectacles, Aid Framework.	
	Manufacturer:	Catalogue No.:	
CS/A/1304 2	Headband and ear cup type ear defenders. To be supplied with two sets of renewable sealing rings and to conform to EN352/BS5108. Attenuation to 20dB required. Product available from PPE and First Aid Framework.		
	Manufacturer:	Catalogue No.:	
CS/A/1305 1	Clearways face shields with adjustab protection while operating machine t Product available from PPE and First	ools etc. Kite marked to BS2092.	
	Manufacturer:	Catalogue No.:	
CS/A/1306 30	Student aprons suitable for workshop Product available from PPE and First		
	Manufacturer:	Catalogue No.:	
CS/A/1307 1	Soap/hand cream dispenser. Product available from PPE and First	Aid Framework.	
	Manufacturer:	Catalogue No.:	
CS/A/1308 3	Roll of Hazzard Warning Floor Tape, S Product available from PPE and First		
	Manufacturer:	Catalogue No.:	
CS/A/1309 1	Industrial wet/dry vacuum; Robust electrical vacuum cleaner for wet and dry use for cleaning up dust, debris or water, minimum 1400-watt motor, minimum 20 litre capacity, Dust class category M rated to EN60335-2- 69, for dust with workplace limit values > 0.1 mg/m3, to include HEPA Cartridge filter, minimum 3 meter hose, air flow sensor to indicate when the air flow is reduced by a clogged filter, full tank, etc., base includes wheels/castors for easy manoeuvring Minimum two year warranty		

<u>Note:</u> Equipment to be commissioned and training provided where appropriate. Where servicing is required during the warranty period then the cost should be included in the tender price.

E	Equipment for Construction Studies/Wood Technology CS/A			
Section	Code	Description and Specifications:	Total Cost (€) & Warranty Offered	
Section 1	CS/A/101-131	Geometric, Drawing and Marking out Tools		
Section 2	CS/A/201-225	Handsaws and Chisels		
Section 3	CS/A/301-318	Turning and Carving Tools		
Section 4	CS/A/401-420	Hand Planes, Knives and Oilstones		
Section 5	CS/A/501-522	Precision Tools, Screwdrivers etc.		
Section 6	CS/A/601-609	Wood Boring Bits, Drills and Braces		
Section 7	CS/A/701-726	Vices, Cramps, Spanners and Plumbing		
Section 8	CS/A/801-816	Portable Power Tools		
Section 9	CS/A/901-931	Electronics Equipment		
Section 10	CS/A/1001-1018	Brick/Block Laying and Glazing Tools		
Section 11	CS/A/1101-1111	Paint, Sweeping Brushes and Dispensers		
Section 12	CS/A/1201-1204	Specialist Instruments		
Section 13	CS/A/1301-1309	Safety Equipment		

Total (€)	
Add for VAT (€)	
Total amount for List A (€)	

Standards, Specifications and Conditions

All Equipment shall be Durable and Safe for School Use.

Equipment wholly or partly funded from public funds is subject to Inspection by Officers from the Department of Education.

It is essential that tenders for equipment for School Use shall:

- i) Comply fully with the specifications and be durable and safe for School Use.
- ii) Comply fully with the standards as detailed and shall comply fully with European (EN) standards, both established and developing.
- iii) Comply with European electrical standards and CE marking as appropriate.
- iv) Be accompanied by documentation of sufficient detail for full evaluation.
- v) Include the completed and signed certificate of compliance.

Award of a contract is conditional on the production of a current tax clearance certificate.

Failure to comply with the above may result in the tender being deemed null and void.

Certificate of Compliance with Standards, Specifications & Conditions:

I/We certify that the equipment tendered complies in all respects with the Standards, Specifications and other requirements/conditions specified in this tender document. I/We hold a current tax clearance certificate.

Company: _____

Signed: ____

Date:

Position:

Construction Studies/Wood Technology Equipment List B

Section 1: Machine Tools and Storage			
Code Quantity	Description a	nd Specification	Cost € & Warranty Offered
CS/B/101 1	Bandsaw Floor-standing, Min. Cutting Height 310mm, Min. Cutting Width 420mm, Tilting Table to 45 degrees, Rip Fence Aluminium on Cast Iron Mounting with Steel rail, slot in work table to accept mitre guide, mitre guide to be supplied, Upper and Lower Precision Guides in steel, DC Electronic Brake Unit and over load protection, Non- latching emergency stop on bottom of frame, Locks on Door, minimum 3HP, 3 phase		
	1 Rip Saw blade 3/4" (20mm) x 4 TF x 6 TPI	l, and 1 General Purpose 3/8" (10mm)	
	Five year on-site warranty to include	parts and labour.	
	Follow Health & Safety advice regarding use of this machine and age restrictions on its use; Statutory Instruments (SI) No. 36 of 2016 Safety , Health and Welfare at Work (General Application) (Amendment) Regulations 2016		
	Manufacturer:	Catalogue No.:	
CS/B/102 4	Scroll Saw, 450mm, with tilt table, va workpiece hold-down and blade gua 230 V.	riable speed motor, sawdust blower, rd attachment. Motor c.120-200 W,	
	Five year on-site warranty to include	parts and labour.	
	Manufacturer:	Catalogue No.:	
CS/B/103 1	Mortice Machine, Floor-standing hol chuck, to take chisels as below, c. 1 l		
	Five year on-site warranty to include	parts and labour.	
	Manufacturer:	Catalogue No.:	
CS/B/104 1	Set of 5 hollow mortice chisels comp 1/6mm ; 1/10mm; 1/12mm; 1/15m	0	
	Manufacturer:	Catalogue No.:	
CS/B/105 1	Wood Turning Lathe, c.400 W (0.5 HP), floor-standing with faceplate, c.610mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm)		
	Three year on-site warranty to includ	le parts and labour.	
	Manufacturer:	Catalogue No.:	
CS/B/106 6	10" Cast Iron 5 Speed Mini Wood Lathe, bench mounted. 5 Speeds - Drive belt; Tool rest holder and tail stock will be locked into place with the easy to use cam locking system; 3" faceplate is included; Min. 350W Motor; Heavy Duty Spindle.		
	Three year on-site warranty to include parts and labour.		
	Manufacturer:	Catalogue No.:	

CS/B/1		5	September 2022
CS/B/107 2	Drilling Machine, single phase, floor-stable, tool free belt tensioning, safety supplied with drill press table to safe		
	Five year on-site warranty to include parts and labour.		
	Manufacturer:	Catalogue No.:	
CS/B/108 1	 Belt/Disc, floor-mounted Sander, with table. Belt length c.1200mm x 150mm wide; c.225 mm disc diameter. 230 V, 50 Hz. Note: To be supplied its own integral dust extraction system. NOT to be connected to a Central System. Belt working length to be max. c.500mm. 		
	Three year on-site warranty to includ	e parts and labour.	
	Manufacturer:	Catalogue No.:	
CS/B/109 1	Vacuum forming machine, bench top min. 450mm. Electrics – 230 V, 50 H		
	Three year on-site warranty to includ	e parts and labour.	
	Manufacturer:	Catalogue No.:	
CS/B/110 1	Thermoplastic sheet Strip Heater, 110 V 50Hz 500 mm suitable for bending thermoplastic sheets up to c.6mm thick.		
	Three year on-site warranty to includ	e parts and labour.	
	Manufacturer:	Catalogue No.:	
CS/B/111	Heat Gun, 12/24/110 V 50 Hz Varial	ble-setting	
1	Two year warranty.		
	Manufacturer:	Catalogue No.:	
CS/B/112 1	Electric Sharpening system: grinding stone size x width 250mm x 50mm; stone grit K220; leather honing wheel size x width 200mm x 30mm; rotation speed min: 80rpm; include jig for straight edges, plane irons, ripping chisels; include angle setting jig for measuring exact angles and settings. Single phase.		
	Five year on-site warranty to include	parts and labour.	
	Manufacturer:	Catalogue No.:	
CS/B/113 (A) 2	Tool storage presses for hand tools, lockable, approximate size 1900mm x 1000mm x 500mm. These to be supplied with cut-out slots.		
	Manufacturer:	Catalogue No.:	
	OR		
CS/B/113 (B) 2	Tool storage presses for hand tools, lockable, approximate size 1900mm x 1000mm x 500mm. These to be supplied with storage trays		

Section 2	Section 2: Digital Technologies and Computer Aided Manufacturing (CAM)			
Code Quantity	Description and	l Specification	Cost € & Warranty Offered	
CS/B/201 1	Laptop suitable to run CNC, laser cutter and 3D printer, to be supplied with a case and wireless optical mouse. Optional purchasing details https://www.pdsttechnologyineducation.ie/en/Technology/Purchasing- Frameworks/ Three Year warranty.			
		Catalogue No.:		
CS/B/202 1	Visualiser: Min. 13 MP Lens, Up to 4K at 30 fps Video, Built-In Mic, coverage A3 + (533x330mm), USB Interface & Power Connection to a PC. Five year warranty.			
	Manufacturer:	Catalogue No.:		
CS/B/203 1	3D Printer: Min volume area 200mm x 200mm x 200mm, Suitable for education purposes (not DIY/home spec.) and capable of high quality printing, user-friendly software based on open-source platform (Compatible with Parametric Modelling software used in Design and Communication Graphics (DCG)), Support materials such as PLA, Fully enclosed print chamber, and Technical support must be available. Roll of PLA to be provided with machine. Three year on-site warranty to include parts and labour.			
		Catalogue No.:		
CS/B/204 1	CNC 3-axis Training Router. Bench top with enclosed work area. Operating footprint minimum 575mm x 325mm in X-Y plane; capacity to machine a minimum of 110mm of light materials such as light alloys, wood and plastic using multiple passes. Spindle speed 10-25 krpm. Feed Rate c.5000mm/min, 3D profiling c. 4500mm/min. Spindle Motor c. 1.3 kw. Connection for dust extraction for dust and shavings from cutting area. Machine to be supplied complete with operating system, 2D & 3D controlling software compatible with file format for PCB production. Fourth axis attachment. Appropriate tooling package and accessories for standard operating to be included. 230 V, 50 Hz supply.			
	Note: Details of specification of computer required to operate to be furnished to school.			
Five year on-site warranty to include parts and labour.				
		Catalogue No.:		
CS/B/205 1	Workbench for CNC router (CS/B/204) Storage under workbench for associated equipment/router bits etc. Height of workbench approximately 700mm.			
	Manufacturer:	Catalogue No.:		

September 2022

		эсрестье	
CS/B/206 1			
	If school offers any of these three subjects (or are getting an upgrade to any of these rooms) they are entitled to get a laser cutter.		
	Location of laser cutter is identified on each of the room layouts.		
	Manufacturer:	Catalogue No.:	

<u>Note:</u> Equipment to be commissioned and training provided where appropriate. Where servicing is required during the warranty period then the cost should be included in the tender price.

Equipment for Construction Studies/Wood Technology CS/B			
Section	Code	Description and Specifications:	Total Cost € & Warranty Offered:
Section 1	CS/B/101-113-B	Machine Tools and Storage	
Section 2	CS/B/201-206	Digital Technologies and Computer Aided Manufacturing	

Total (€)	
Add for VAT (€)	
Total amount for List B (€)	

Standards, Specifications and Conditions

All Equipment shall be Durable and Safe for School Use. Equipment wholly or partly funded from public funds is subject to Inspection by Officers from the Department of Education.

It is essential that tenders for equipment for School Use shall:

- i) Comply fully with the specifications and be durable and safe for School Use.
- ii) Comply fully with the standards as detailed and shall comply fully with European (EN) standards, both established and developing.
- Comply with European electrical standards and CE marking as appropriate. iii)
- Be accompanied by documentation of sufficient detail for full evaluation. iv)
- Include the completed and signed certificate of compliance. v)

Award of a contract is conditional on the production of a current tax clearance certificate.

Failure to comply with the above may result in the tender being deemed null and void.

Certificate of Compliance with Standards, Specifications & Conditions:

I/We certify that the equipment tendered complies in all respects with the Standards, Specifications and other requirements/conditions specified in this tender document. I/We hold a current tax clearance certificate.

Company:

Signed: Date:

Position: _____

Statutory Instruments (SI) No. 36 of 2016 Safety, Health and Welfare at Work (General Application) (Amendment) Regulations 2016

Notes regarding Training, instruction and information are detailed in Statutory Instruments (SI) No. 36 of 2016 Safety, Health and Welfare at Work (General Application) (Amendment) Regulations 2016. This full document should be considered if a school is using the machines outlined in the document.

A few key notes include:

An employer shall ensure that an employee who operates a woodworking machine—

- o (a) has been trained in operating the machine,
- o (b) has received instruction in accordance with paragraph (2)(a), and
- o (c) has been provided with the information specified in paragraph (2)(b).
- An employer shall ensure that in advance of operating a wood-working machine an employee shall—
 - (a) receive instruction on-
 - (i) the dangers arising in connection with the machine, the precautions to be observed and the requirements of the Regulations in this Part which apply to the machine,
 - (ii) how to use the guards and any other protection measures required to be provided by Regulation 199 and Regulations 201 to 207 which relate to the machine, and
 - (iii) (iii) procedures for setting up, adjusting, using and cleaning the machine, and

(b) be provided with information on the use of the machine, including where relevant—

- the speed, range, type and dimensions of tools suitable for the machine, (ii) any limitation on the cutting speeds of the machine, particular operations or size and material of any workpiece,
- (iv) procedures relating to the repair or replacement of any guard or protection device,
- (v) the availability, suitability and use of any additional protection device, (v) safe methods of handling tools, 8 [36]
- (vi) correct procedures for start-up, shutdown and isolation of the machine, taking into account the time required for all parts of the machine to come to a halt, (vii) procedures for cleaning the machine,
- (vii) procedures for setting or adjusting any guard, tool, clamp or other part of a machine, and
- (viii) in the case of CNC machines, programming.